



KNIT'n STYLE

Features

- 16 The New KNITstyle
- 18 Lorna's Helpful Hints for Hand-Dyes Stone Soup Knitting by Loma Miser
- 19 Stone Soup Hat by Loma Miser
- 14 Melissa Leapman's Knit & Crochet Collection Darla Tunics
- Hand Knit Workshop
 Making the Best of Bobbles by Margaret Radolffe
- 24 Mid-Gauge Machine Magic Planning Color Placement with Self-Striping Yarns by Mary Anne Oger
- 26 Stormy Weather Tunic by Mary Anne Oger
- 8 Knitting + Travel
 Peru and Knitting—The Perfect
 Combo!
 by Nancy J. Thomas

Gallery

- 33 Irish Tweed Tunic by Gayle Bunn
- 34 Dreaming of Summer Shawl by Camrina Castelan
- 35 Diamond-Edged Sweater by Arry Gunderson
- 36 On the Town Set
- 37 Silverlace Scarf by Premier Yarns Design Team
 - 38 Swan Song Set by Sandi Prosetr
 - Cabled Tunic by Premier Yams Design Team
- 41 City Blocks Cardi by Arrry Gunderson
- 42 Felicity Vest by Drane Zangl
- 43 Twister Scarf by Premier Yams Design Team
- 45 Angel Cardi by Therese Chynoweth



On Our Cover

Expenence the softness, warmith, and weightlessness of our Heritagre Shawif done in AC Wood Histagre Alpaics.

Deutsch for Jack Deutsch Photography

Har and makeup styled by Greg Clark for Hallay Resources



February 2014 • Issue 189

www.knitnstvle.com

46 Heritage Shawl

- 48 Petal Hat & Mitts by Diane Zangi
- 49 Hooded Cowl
- 50 That's a Wrap Cowl by Sandi Prosser
- 52 Draped Panels Cardi by Elizabeth Helmich
- 53 Heather's Cowl by Melissa Leapman
- 54 Wear-to-Work Jacket by Imelda Carrillo
- 55 North Sea Skirt by Sandi Prosser
- 56 Soft Mist Scarf
- by Vickie Zelizo

 57 Soft Shoulder Shawl by Amy Gunderson
 - r

'n Style Departments

- 4 The Editor's Notes From the Editorial Transition Team
- 8 Have You Read?
- 12 Have You Seen?

In Every Issue

- 58 Knitting Abbreviations
 - 95 Sources for Yarns Featured
- 95 Index of Advertisers
- 96 'n Style Marketplace
- 98 Yarn Shops









twitter

Have You Signed Up for Our Sneak Peeks?

before the next issue goes on sale and features a sneak peek into our upcoming issue.

What are you waiting for? Go to www.knitnstyle.com and click on the link below the Knit 'n Style logo to sign up today!







The Knit Stitch Pattern Handbook: An Essential Collection of 300 Designer Stitches and Techniques by Mehssa Leapman

Potter Craft www.pottercraft.com Have you ever wanted to design your own cozy afghan or lovely pullover but were unsure what combination of stitches to use? Knitwear designer Melissa Leapman shares an extensive collection of more than 300 original stitch patterns and gives knitters the tools they need to design their own pieces. Each unique pattern is shown alongside a gorgeous photo and is complete with both charted and written instructions. This handy guide is the perfect resource to knit anything you can dream up!



Coxy Country Knits Socks, Hats, Jackets and Sweaters with Classic Rural Charm by Manuela Burkhardt and Dorothea Neumann Trafalgar Square Books www.trafalgarbooks.com

Classic shapes with timeless cables and pattern striches make these charming designs fun to knit and fashionable to wear With over 25 projects (including hats, jackets, scarves, wraps, and more) to choose from, knitters of all ages and skill levels will find a wonderful variety of cozy options here to keep warm from head to toe



Creative Makers Simple Knitting: 30 Quick-to-Knit Protects for Stylish Accessories by Ros Badger Mitchell Beazley

www.octopusbooks.co.uk

Beginning knitters will love this hip guide from designer Ros Badger, Cast on with clearly explained techniques and photos, learn all about yarn and fiber, and get knitting today with easy stepby-sten instructions. Create pretty purses, warm scarves, cozy socks, and much more for yourself and your loved ones.



50 Knitted Gifts for Year-Round Giving: Designs for Every Season and Occasion Featuring Universal Yarn Deluxe Worsted from the editors of Sixth & Springs Books

Sixth & Springs Books www.sixthandspring.com

All knitters know that handmade gifts aren't exclusive to Christmas. The editors at Sorth & Spring Books share fun and versatile designs for the whole year through. From adorable Easter Egg Toppers to sweet Happy Couple Cup Snuggles, every holiday has a gift to be shared. Other designs include cozy shawls and scarves for Mother's Day, Fair Isle Christmas stockings and wreaths, and gifts for just about every occasion and holiday.

have you read?



More Modern Top-Down Knitting 24 Garments Based on Barbara G. Walker's 12 Top-Down Templates by Kristina McGowan STC Craft/Malanie Falsek Books

www.abramsbooks.com

Originally published in 1996, Barbara G. Walker's book, Knitting from the Top (Schoolhouse Press), offered knitters ingenious design techniques for garments made from the top down. Designer Kristina McGowan dug deep into Barbara's work and designed two garments, each of which is based on all 12 of Barbara's top-down templates. The stunning result is 24 modern designs that are feminine with classic embellishments and minimal finishing. Knit corpeous cardigans, stylish skirts, and more, all from the top down for a perfect fit!

THE VERY EASY GUIDE TO Fair Isle Knitting



LYMPIE WATTERSON

The Very Easy Guide to Fair Isle Knitting

by Lynna Watterson St Martin's Griffin us macmillan.com

Fair Isle knitting is easier than it looks when knitting expert Lynne Watterson explains it. This guide contains 28 lessons that cover everything you need to know for knitting beautiful and intricate Fair Isle patterns with ease. Learn how to read charts, select a color palette, strand your yarn, link colors, and more. The main section of this book includes a wide array of beautiful Fair Isle stitch patterns, each with clear instructions in both chart and written form.



Knitologie: Creating Heirloom Knits with Monograms as Simply as Cast-On and Cast-Off

by Lucy Main Tweet Glitterati Incorporated

www.alitterantiincorporated.com

Beginner and experienced knitters alike will adore this book from the former senior vice president of Talbots, Lucy Main Tweet. Combining her professional fashion sense with her love of knitting, she has written one of the few knitting books to focus on monogramming. Your loved ones will be thrilled to received blankets, hats, mittens, pillows, and more made just for them, hand knitted by you. Beautiful photography accompanies each elegant project.



The Spinner's Book of Yarn Designs Techniques for Creating 80 Yarns by Sarah Anderson

Storey Publishing www.storey.com

Knits for baby are perfect projects for practicing colorwork or any type of new stitches. They're so quick to knit, it's almost instant gratification! This book contains over 14 adorable projects for little ones or very special shower gifts. Patterns include blankets booties, cardigans, and more. Sizes range from newborn to 24 months, so all the sweet tots in your life are covered.











Stone Soup Knitting

and-dyed varns are beautiful, but can be very expensive. If a single hand-dyed skein makes a scarf and there is a tiny ball of vam left over, you are not likely to throw that little walnut-size ball away-every last yard of hand-painted varn is valuable. But what can you do with such a small amount?

One of my most fun concepts is "Stone Soup Knitting," It's based on the old story about travelers who came to a town and no one would feed them, so they set up a pot with water and stones. A passerby asked what they were cooking, and they replied, 'Stone soup, but it's a little weak. It could use some vegetables." The person was happy to offer a couple of carrots and potatoes. Another person came by and was willing to share some meat, then someone else added some seasonings. Soon, there was a delicious pot of soup for the whole village to enjoy together-all from 'nothing but a couple of stones.'

I love this concept for using up tiny amounts of precious yarns, like that little ball of varn, for instance, Look through your stash, a friend's stash, or the yarn shop for single skeins of yams that match your hand-dved one in weight and coordinate in color. Different fibers and textures are acceptable, but the thickness of the varns needs to match. I like to choose colors that match some of the hues in the hand-dyed yarn, as they are guaranteed to look pretty together. After all, you liked them in the skein of hand died, right? Don't go crazy collecting too many of the accent colors-the quantity will depend on whether vou're making a hat or a sweater.



With this technique, all of the knitting is done with the vams held double strand This is great news if you have a lot of tiny leftover balls of hand-dyed sock yarn. When a sock-weight yarn is doubled, it is approximately worsted weight. The varn I chose was DK weight, so all of the matching yarns are also DK weight. Doubled, I got a bulky-weight varn of about 4 stitches per inch when knitted in st st.

Now to mix the colors. Estimate how much of the main color varn (the "stone") you have. For this hat, I only used about 30 yards; however, there was more of each of the other three yarns. Pick any two yarns and begin knitting. After a few rows, cut only one of the colors (not both), add in a different color, and continue. It's also okay to use both strands of one color. The key to the blended look is to change only one color at a time, which will also come in handy when weaving in ends, as all of the ends won't be in one place. I chose to spread out the main color and use it to blend the other colors together.

This can be a great group project or knitalong. Divide a large skein of handdved varn into several small balls and give one to each knitter. Challenge everyone to

use up every inch of their ball by adding in more yarns. It will be a real surprise to see how different everyone's projects turn out, even though they all begin with the same foundation















Making the Best of Bobbles

You're probably asking yourself, 'Why would anyone want to make a bobble?' You might not want to make bobbles very often, but if you need them, there's simply no substitute. They highlight cabled patterns, fill empty spaces in otherwise dull sections of knitting, and add whimsy to children's clothing.

Bobbles can add just the right decorative boost to a design. On the other hand, they can be some of the most unsightly and annoving embellishments to knit. Whether childishly cute or sophisticated and mature, they require careful handling to look their best (fine, upstanding, perfectly poised, and symmetrical). At their worst, bobbles leave gaping holes, twist degradedly, and hang dejected from the fabric. So how do we bring these little imps under control?

Bobbles are made by concentrating extra stitches in one spot in the fabric. First you increase to create the stitches and then you decrease to get rid of them. The more extra stitches-and the more rows you work on them-the larger the bobble. Some tiny bobbles are quickly and easily worked on just one row. More flambovent knobs are made by working several rows on the new stitches before decreasing.



Robbies on the back of an Aran vest



Bobbles frim this corouse boby hot, which is something I teach in my Fantastic No-Gouge Hats workshop

When it comes to bobbles, bigger is not always better. Robbles are hollow, so they are easily deflated. The larger the bobble, the more likely it is to become squashed and droopy Choose the smallest bobble that will create the effect you want and don't hesitate to substitute a different bobble any time one is called for in a pattern. Seven examples of bobbles follow, from understated knots to large globes:



From bottom to top: small knot; larger knot; basic bobble; basic bobble with increase variation; basic bobble with decrease variation; bigger bobble; shapely bobble

Basic Bobble: Krill into front, back, front, back, front of the next strict (making 5 stitches in 1). Turn, p5. Turn, ssk, k1, k2tog Turn, p3. Turn, slip 2 together knitivise, k1, pass the 2 slipped stitches over (1 stitch remains). On the following row, work into back of the bobble stitch to twist and archor it more firmly, to bhen it, then confinue across the row.

Bigger Bobble: Increase to 7 stitches as for Basic Bobble. Turn, p7. Turn, ssk, k3, k2tog (5 stitches remain). Complete as for the Basic Bobble.

Basic Bobble with Decrease Variation: Increase as for the Basic Bobble. Turn, p5. Turn, k5. Repeat these two rows once more. With right side facing you, use the left needle to lift the 2nd, 3rd, 4th, and 6th statch over the 1st stitch and off the needle. On the following row, work into the back of the bobble stitch to left.

Shapely Bobble: This is one of my favorities because it holds its shape and doesn't hust. Increase as for the Basic Bobble, ki, Turn, p. 5. Turn, p.5. Tur



Small Knot: On a right-side row, p-k-p into front-back-front of a single stitch, then work p3tog on these stitches on the following wrong-side row.

P-k-p into front-back-front of stitch

Larger Knot: On a right-side row, k-p-k-p-k-pk into 1 stitch to make 7 stitches. With the left needle or your fingers, pass 6 stitches one by one over the last stitch you made.



Possing the lost of the 7 stitches over the first.



K-yo-k-yo-k into a stitch to make 5 stitches

Basic Bobble with Increase Variation: Make the same as for the Basic Bobble, but increase to 5 stitches by working k-yo-k-yo-k into the bobble stitch

Notes and Variations

Now that you know how to make bobbles, you can add them whenever you like and make them any size you want. Keep the following in mind:

- Smaller knots can be worked much more quickly than larger bobbles.
- For more texture, make multi-row bobbles and knit (instead of puri) across the wrong-side rows to make the fabric bumpier.
- Save time by learning to knit backwards so you don't have to turn repeatedly.
- Space the bobbles closely to create allover texture.
 Make rounder bobbles by slipping the first stitch of each
- Make rounder bobbles by slipping the first stitch of earow.
 - Add contrast-color bobbles by working a whole row in the new color and adding the bobbles as you go, then knit across the wrong side with the same color before switching back to the background color.
- For contrasting bobbles that float on the background color, change to the bobble color and with the first stitch of the row to anchor the yam. Slip the stitches before, after, and between the bobbles, keeping the yam behind the fabric and leaving the strand loose so the fabric doesn't pucker. It's best not to slip more than 4 or 5 stitches at a time if your bobbles.

will be farther apart—consider knitting I stitch in the bobble color halfway between each bobble. To get the yam back to the other edge of the labric, work the row after the bobbles with the same color, knitting into the bobble sttches and slipping the inter-

vening stitches.



Contrasting bobbles on a gorter stitch ridge

Your bobbles will behave differently depending on your yam and the size of your needles. For example, bobbles made from stratchy wood yam will hold be radap better than those base lather will be licoser and the bobbles will lend to grant of the strategy of the strategy

About the Writer

Margaret Radoliffe is the owner of Maggie's Rags (www.maggiesrags.com) and the author of The Knitting Answer Book, The Essential Guide to Color Knitting Rechniques, and Circular Knitting Workshop, all from Storey Publishing.





Nature Trail Cabled Pullover, Knit 'n Style issue 186



Planning Color Placement with

Self-Striping Yarns

ave you ever been seduced by the multiple colors in a luscious-looking skein of yarn, only to be totally disappointed with the actual knitted piece? Some variegated yams have a short color repeat that tends to form a horizontal stripe effect and occasionally pools or makes irregular patches of one color. When the width of the knitted piece changes, the patches change as well and can be unattractive. Sometimes random triangles or diamonds will appear, and just when you think you like that effect, something changes and they disappear! Another type of multicolored yarn has a hand-dyed effect with longer pieces between color changes, and others go through several colors without repeating within the ball. A little experimentation with some of the following techniques could be the answer to solving your multicolored dilemma.

Sideways-knit garments are a good way of using vanegated yarns, because the stripes become vertical and more controllable. With a conventional pullover, the width of the rows changes, especially from the underarm up to the shoulder, and the pooling effect will be more random and different than in the lower part of the body. By changing to a sideways method, the length of the garment becomes the width of the row, and there is less extreme variation on the front or back and the stripes can be matched with a little planning.

The yarn used in Stormy Weather Tunic (page 26) is Linen Concerto from Plymouth Yarn. The color repeat on it is quite long.



Original balls of Linen Concerto

and there are grading shades of gray and chargoal that blend with the indigo tones, creating larger blocks of the dark colors. The lighter areas are much smaller, and there are only two of the lighter stripes per ball. When looking at the original balls of yarn, most of them have the light color on the outside, but a few have indigo on the outside-this indicates that they do not all have the same starting/ending point in the color sequence. One of the advantages of using a knitting machine is that an entire ball of yarn can be knit in stockinette in just a few minutes, so it is quite easy to knit up a couple of balls to see what the color sequence and repeat is and then unravel and re-knit into the garment. After you do this on a few balls, you will be able to tell from the outside color which hall to choose for a match.



Swatches of Linen Concerto

Notice how the swatch on the right seems to have a different repeat than the other two, but after turning it end for end, it matches. That just means that it was wound from the end opposite of the first two; an easy thing to fix-just rewind it.

For the color sequence to match on the body, the garment is worked from the center out. From experience, I knew it would take about four balls of varn to knit the front and another four balls for the back. I chose two balls at random for the first half and another two balls that matched for the opposite side. This way, the first half is knit as the color sequence comes, then that center edge is re-hung the opposite way and you monitor the color sequence to match in reverse of the first half. The front is done the same way so, before starting, select the balls from the outside color and label them in the order that you will use them. The back and front will somewhat match over the shoulder line (it doesn't have to be exact) and when the sleeve is knit down. you should have the same place to start each one. There will be times where you are pulling off a section that does not match to get to the spot where it does-save these longer pieces to be used in the edgings and finishing if necessary.



Swotch of one ball of Linsey

Another Method of Altering Patchy Work

This photo shows another varn with a hand-painted look. Berroco Linsey (See KS 185, Contrasts). It contains basically five colors-vellow, pale green, blue, red, and sand brown-and shades a bit between major colors, with the red and brown appearing only at one end of the colorway in each ball



Two boils of Linsey knit from motching ends

Using Two Balls at One Time

To change the length of the color repeat, knit from two balls at the same time. Knit one to three rows with the first ball, then knit one to three rows with the second ball, alternating between the two. It doesn't have to be exact or identical each time. If it is a yarn with a long color space, use the same end of each ball to extend the length of each color. If you want to mix it up more, use opposite ends to get a shorter, more mixed color play.



In this swatch, note how the red stripes are more evenly distributed throughout the entire piece.

Experimenting and swatching are keys to changing up these colorways, and having a machine to do that can make it a fun and challenging experience!

Instructor and designer Mary Anne Oger is well known for her classic wearable machine knit designs. She incorporates creative textures and great finishing techniques in her designs, which can be used by all machine knitters using any gauge on any machine. She has taught over 170 seminars and workshops all over North America. As editor and publisher of KNITWORDS magazine for 13 years, Mary Anne has set high industry standards for quality work in machine knitting. She makes her home in Thunder Bay, Ontario. Canada and can be reached at www.knitwords.com



Mary Ann hills designed Stormy Weather Tunic, a machine-knit project, exclusively for our readers See page 26.











KNIT'n STYLE

Pattern Collection







































PAGE 71 YARN: Plymouth Yarn Metallic

38













































15 Just the light weight to wear over a tank (to let skin peck through the openwork sleeves) or a contrasting-color long-sleeved to here see the peck of the sure to become one of your go-to pieces it incorporates a flavorite feather and fan stitich, as well as a vine lace pattern, and features a small button co-sure at the base of the gentle V-neck. PACE 79

YARN: Bijou Basin Ranch Seraphim











16 An overlapping circular design, Heritage Shawi, designed by Cynthia Yanok in Heritage Alpaca, is a wonderful light, drapey accent, whether you're the edgy type or go for a more traditional look

YARN: AC Wood/Knitglobal Heritage Alpaca









































23 Whether you wear Sandi Prosser's North See Sert to work or over a pair of leggings for the weekend, you can't deny the sophistication of the Fair Isle pattern work throughout And the niched weistbend makes for a comfortable fell This skirt is knitted in Heritage Sock Yam.

YARN Cascade Yarns Heritage Sock Yarn























25 With a sight stranger of selver peeking through the brushed externor of the year. Amy Qunderson's Soft Shoulder Shaw In Roma as not only year to book at it's also so much tun to stoch. This shaw is worked side to side with the edging knoted at the same time as the body of the piece.

Y ARN: Universal Yarn/Rozetti Yarns Roma

Master List of Knitting & Crochet Abbreviations

adj alt approx beg bet BL bob	adjust alternale approximately beginning between
approx beg bet BL	approximately beginning between
beg bet BL	beginning between
bet BL	between
BL	
bob	back loop/s
	bobble
80	bind off
BP	back post
BPdc	back post double crochet
BPsc	back post single crochet
BPtr	back post treble crochet
CC	contrasting color
ch	chain
ch-	refers to chain or space prev made;
	e.g., ch-1
ch-sp	chain space
CL	cluster
cn	cable needls
co	cast on
cont	continue
dc	double crochet
dc2tog	double crochet 2 together
dec	decrease
dpn	double pointed needles double trable
dtr	
EOR	every other row
est	establish/ed front loop/s
fl or FL	following
foll	front post
FP FPdc	front post double crochet
FPsc	front post single crochet
FPtr	front post treble crochet
	gram
g hde	half double crochet
	increase
inc k or K	increase lonit
k2tog	knit 2 together
kf8b	knit into the front and back of the
KTEKO	same stitch
kwise	knitwise
i H	left hand
LH	IGIC Harrio

M1
M1 p-st
MC
meas
mm
ndl(s)
oz(s)
porP
p2tog
pat(s)
pc
pf&b
pm or PM
petv
psso
pwise rem
rep
rey St st
RH
rib
rnd(s)
RS .
RSR
56
sc2tog
18
skp
sk2p
sl
slm
sl1k
sl1p
sl st
sp(s)

lp(s)

m M1

MC

me mo

oz(

p or

pat

pc

pf&

om

pre

pss

pwi

rem

rep

res BH

rib

rme

marker
make 1 knit stitch (1 stitch increase)
make 1 purl stitch (1 stitch increase)
main color
mousures
millimeter/s
needle/s
ounce/s
puri
purl 2 stitches together
pattern(s)
popcorn
purl into the front and the back of
the same stitch
place marker
previous
pass slipped stitch over
puriwise
remaining
repeat
reverse stockinette stitch
right hand
nbbing
round/s
right side
right side row
single crochet
single crochet 2 stitches together
skip
stp, knit, pass slipped stitch over
(1 stitch decrease)
SI 1 st lowise to RH ndl, K2tog, P550
sip
slip marker

RH ndl, K2tog, P550 slip 1 stech knitwise slip 1 stitch purlwise slip stitchies slip stitch/es slip 2 stitches lowise to RH ndl, insert

I H ruffe into the fronts of both singed

stitches and knit them as one stitch

slip, slip, slip, krit these 3 striches together (2 strich decrease) stockinette stitch through the back loop tbl tch turning chain t-ch turning chair together tog terble crochet triple treble crochet tete wrong side with yarn in back wyib with yarn in front wyit yard/s yd(s) varn forward yarn over yarn over hook yarn round the needle yarn over the needle work instructions within brackets as many times as directed work instructions within paran theses as many times as directed repeat instructions following the astensks as directed repeat instructions following the asternk as directed

BASIC KNITTING INSTRUCTIONS

Garter Stitch: Knit every row. If working in the round knd one round, then puri one round. Stockinette Stitch: Knrt RS rows and puri WS rows. If working in the round, knit all rounds Reverse Stockinette Stitch: Purl R5 rows and lant W5 rows. If working in the round, purl all rounds 3-Ndl BO = 3 needle blnd off: Place sts from each stitch holder onto separate ndls, points parallel and fac ing the same direction. Hold these with work R5 tog "insert a third not (the same size) into the first st from front ndl and the first st from back ndl. K2tog. Pass first at from RH ndl ower second at to BO Rep from * until 1 st rem. Fasten off.

Skill Levels

Projects for first-time kritters using basic knit and purl stitches, Minimal shaping.

Projects using basic stitches, repetitive stitch patterns simple color changes, and simple shaping and

Projects with a variety of stitches, such as basic cables and lace, simple intersia, double-pointed needles and knitting in the round techniques, mid-level shaping

> Projects using advanced techniques and stitches, such as short rows, fair isle, more intricate intersia, cables, lace patterns and numerous color changes.

Knitting Needles Conversion

Metric (mm)	US	Metric (mm)	M2
2.00	0	5.00	8
2.25	1	5.50	9
2.75	2	6.00	10
3.25	3	6.50	10%
3.50	4	8.00	11
3.75	5	9.00	13
4.25	6	10.00	15
4.50	7	13.00	17
		15.00	19

S Categories	tanda of yarn, ga						ook sizes
Yern Weight Symbols & Calegory Names	Lace	Super Fine	[2] Fine	(3) Light	(4) Medium	5 Bulky	6 Super Bulky
Type of Yarrs in Catagory	Fingering 10, Count crechel thread	Sock, Fingering, Baby	Sport, Baby	DK, Light Worsted	Worsted, Afghan, Aran	Chanky. Craft, Rag	Bulky, Roving
Krit Gauge Range" on Strokmette Strok to 4 mohes	33-40°° sts	27-32 sis	23-26 sts	21-24 sts	16-20 sts	12-15 sts	6-11 sts
Recommended Needle in Metric Size Range	1.5-2.25 nn	2 25–3 25 mm	3 25-3 75 mm	3,75-4.5 nn	45-5.5 mm	5.5-8 mm	Brien and larger
Recommended Needle U.S. Size Range	000 to 1	1 to 3	3 to 5	5107	7109	9 to 11	11 and larger
Crechet Gauge" Ranges in Single Crechet to 4 inch	32-42 double crochets**	21-32 sts	16-20 sts	12-17 sts	11-14 sts	8-11 sts	5-0 sts
Recommended Hook in Metric Size Range	Sasel*** 1.6-1.4mm Regular hook 2.25mm	225-3.5 mm	35-45 nn	4.5-5.5 mm	5.5-6.5 mn	6.5-9 nn	9mm and larger
Recommended Hook U.S. Size Range "GMDELINES DN	Steel*** 6, 7, 8 Regular hook B-1	B-1 to E-4	E-4107	7 to 1-9	I-9 to K-10%	K=10½ to M=13	M-13 and larger

particularities.
"Lace weight years are usually leaded or creditated on larger needles and hooks to create lacy, operwork catherns. Accordingly, a gauge range is difficult to determine. Aways follow the gauge stated in your pattern. "Sked crochet hooks are sized differently from regular books-the higher the number, the smaller the book which is the revenue of regular hook score The Standards & Gudelines booker, and downloadable symbol artwork are available at YarmStandards.com

Experienced

1 Darla Tunic - Knit



200

MATERIALS

nylon) color #41

FINISHED MEASUREMENTS

· Length 29 (29½, 29½, 30, 30)"

SIZE TO OBTAIN GAUGE

· Size 13 US (9 mm) 16" circular needle

Bust 35 (39, 43, 47, 51)*

Project features Skacel/Schulana Luxair

Skill Level: Easy Yarn Weight: #5

· Yam needle

GAUGE 12 sts x 14 rows = 4" in St st TO SAVE TIME, TAKE TIME TO CHECK

INSTRUCTIONS

BACK CO 47 (52, 57, 62, 67) sts.

Design by Melissa Leapman

Work in Garter st for 4 rows, inc 8 (9, 10, 11, 12) sts evenly across last row [55 (61,

67, 73, 79) sts]. Change to St st and work until piece measures about 19" from beg; end with a WS

row. Increase for Sleeves

Inc 1 st each side every row 6 times [67 (73, 79, 85, 91) stsl. Work even in St st until piece measures · Darla is sized to fit Women's S (M, L, 1X, about 29 (29½, 29½, 30, 30)" from beg;

and with a WS row RΩ FRONT

Make same as Bank FINISHING

. 7 (8, 9, 10, 11) (10g; 120yd) balls Sew shoulder seams, leaving center 91/2" Skacel/Schulana Luxair (50% baby open for neck opening. alpaca, 10% merino wool, 19% lurex, 13% Cowl Neckband

With RS facing and circ ndl, pick up and Size 13 US (9 mm) knitting needles OR k66 sts evenly around neck opening. PM for beg of rnd and join. Work in Garter st (k 1 md, p 1 md) until

neckband measures about 14" from beg.

Sew side and sleeve seams.

Sleeve Edging With RS facing and circ ndl. pick up and k48 (52, 52, 56, 56) sts evenly around lower sleeve edge.

Work in Garter st for 4 mds.



2 Darla Tunic - Crochet



Design by Melissa Leapman Skill Level: Fasy

Project features Skacel/Schulana Luxair

SIZES Darle is sized to fit Women's S (M. L. 1X, 2X) FINISHED MEASUREMENTS

Bust 35 (39, 43, 47, 51)*

· Length 29 (291/2, 291/2, 30, 30)"

*8 (9, 10, 11, 12) (10g; 120yd) balls Skacel/Schulans Luxair (50% baby alpaca, 10% merino wool, 19% lurex, 13% nylon) color #44

Yarn Weight: #5

· Size L-11 US (8 mm) crochet hook OR SIZE TO OBTAIN GAUGE · Yam needle GAUGE

· 8 sts x 8 rows = 4" in half double crochet (hdc) TO SAVE TIME TAKE TIME TO CHECK GALIGE

INSTRUCTIONS

Ch 36 (40, 44, 48, 52).

Bow 1 (BS): Hide in 3rd ch from hook (beg ch counts as first hdc) and in each ch across (35 (39, 43, 47, 51) stal. Row 2: Ch 2 (counts as first hdc here and

throughout), sk first st, hdc in each st across, hdc in top of turning ch. Ren lest row until piece measures about

19' from beg; end with a WS row. Increese for Sleeves

Inc row: Ch 2, turn, sk first st, 2 hdc in next st, hdc in each st to last 2 sts, 2 hdc in next st, hdc in top of turning ch [37 (41, 45, 49,

Rep last row 3 more times [43 (47, 51, 55, Next row: Ch 2, sk first st, hdc in each st

across, hdc in top of turning ch. Rep lest row until piece measures about 29 (29½, 29½, 30, 30)" from beg; end with a WS mw Fasten off.

FRONT Make same as Back FINISHING Sew shoulder seams, leaving center 91/2" open for neck opening.

Cowl Neckband Rnd 1: With RS facing, join yarn with sl st in neck edge at left shoulder seam, ch 2, work 44 hdc evenly spaced around neck edge; join with sl st in top of beg ch-2. Rnd 2: Ch 2, turn, hdc in each st around;

ion with sl st in top of beg ch-2. Rep last rnd until neckband measures about 14"; end with a RS md. Next rnd (WS): Ch 1, turn, sc in each st

around; join with slist in first sc Next rnd: Ch 1, do not turn, rev sc in each st around; join with slist in begich-1.

Easten off Sew side and sleeve seams Sleeve Edging

Rnd 1: With RS facing, join yarn with sl st in lower sleeve seam, ch 1, sc evenly speced around sleeve edge; join with sl st in first sc Rnd 2: Ch 1, rev sc in each st around; join with slist in begich-1. Fasten off Rep around other sleeve edge.



3 Stone Soup Hat



Design by Lorna Miser

Project features Universal Yarn Infusion Handprints,

Skill Level: Easy

Uptown DK and Rozetti Yarns Soft Payette Yarn Weight: #3

around [60 sts].

DK (100% acrylic) color #112 Cedar (D) Size 9 US (5.5mm) 16" circular needle OR SIZE TO OBTAIN GAUGE

 Size 9 US (5.5mm) double-pointed needias · Stitch markers, yam needle

16 sts x 20 mds = 4° in 3x1 rlb TO SAVE TIME, TAKE TIME TO CHECK

DESIGNER NOTE

· Hat is knit with 2 strands held together throughout.

INSTRUCTIONS

With one strand each of A and B held tog, CO 80 sts. Pm for beg of md. Join to work in the rnd, being careful not to twist. Rnds 1-3: "K3, p1; rep from " around.

Rnd 4: Rep Rnd 1; cut A, join C or D. Rep Rnd 1 until piece measures approximately 3"; cut 2nd yarn and join D or C,

whichever has not yet been worked. Rep Rnd 1 until piece measures 6"; cut B and, if necessary, D. and hold 2 strands of C Note: Change to dons when sts have been

sufficiently decreased. Next rnd (dec): "K2tog, k1, p1; rep from "

Next rnd: "K2, p1; rep from " around. Rep last rod for 1"

Next rnd (dec): "K2tog, p1; rep from " around [40 sts]

Next rnd: "K1, p1; rep from " around. Rep last round for 1", then rep 3 more times. Cut yarn, leaving e 12" tail. Thread tail on varn needle, then weave through all sts of last round, pull tightly to close top of hat. Fasten off.

FINISHING Weave in ends



FINISHED MEASUREMENTS Circumference 20*

MATERIALS

· 1 (100g, 291yd) skein Universal Yarn Infusion Handprints (50% acrylic/50% super wash wool) color #105 Wonderworld (A) 1 (100g, 224yd) ball Rozetti Yarns Soft

Peyette (70% acrylic/8% payette/22% polyester) color #201-06 Plum Shine (B) 1 (100g, 273yd) ball Universel Yarn Uptown

DK (100% acrylic) color #101 White (C) 1 (100g, 273yd) ball Universal Yarn Uptown

4 Stormy Weather Tunic



Women's XS (S. M. L. 1X)

- FINISHED MEASUREMENTS
- Bust 32 (36, 40, 44, 48)*
 Length 21 (22, 23, 24, 25)*
- Upper Arm 15½ (16, 17, 18, 18½)*
 MATERIALS
 15 (16, 17, 18, 20) (50g; 101vd) balls
- Pfymouth Yarn Linen Concerto (48% rayon, 42% linen, 10% cotton) color #73 indigo 7" zloper
- Sewing machine (optional)
- 3-prong tool to increase/decrease
 MACHINE
 8.5mm, 150 needles (Silver Reed LK150)
- Barrini, 150 needles (Sliver Heed LK 15 was used)

 GAUGE
 20 sts x 28 rows = 4° in St st using T4.5
- TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

DESIGNER NOTES

Finished weight, second size, 640g.

- Sideways-knit pullover hoodie. Because rows make the width of the garment, choose size larger than normal, as garment will
- lengthen and narrow when hung/worn.

 Read through entire pattern and make a
- cheat sheet for your size before beginning because of different shaping at each side. When one number only, applies to all sizes. Back and front are started on waste and knit
- from center to side seam, turned and rehung at center, and knit to other side seam to allow for color matching. Align at same needles on needlebed for easier knitting.
- Shoulders are then seamed and sleeves are knit down from rehung stitches.
- 7" non-seconding aligner in front neckline is:

Design by Mary Ann Oger

Project features Plymouth Yarn Linen Concerto

Skill Level: Intermediate

Yarn Weight: #3

encased with vertical knit placket, hand or machine stitched in place on outside.

Hem and sleeves are finished with rehund chained edding.

STITCH GLOSSARY Short Row for A-Line

Carriage at bottom edge (hem) side. Set Russel Levers to HP. Bring all needles to bold. Remove row counter. At carriage side, return 50 n's to UWP, KWK. Replace row counter. Cancel Russel Levers HP. K1R over all and continue.

Slip cord

(2 passes of carriage make 1 row of knit, but counts as 2 rows). 3 n's. MC, e-wrap on. Set to slip to right (left side lever forward to circle, right side lever back at triangle), knit to left.

MACHINE KNITTING ABBREVIATIONS COL (R) carriage on left (right)

FON every other needle но holding position K1R knit one row KWK knit wran knit MC main minr n. n's needle, needles RC row counter T# tension (stitch dial

number)
UWP upper working position
WY waste yarn
X times

INSTRUCTIONS

Right edge Is bottom of garment; left edge is neckline and then shoulder seam. With MY, cast on 101 (105, 111, 115, 121) n's. Knit several rows ending COR. Reset RC000, change to MC.

Work even, making Short Row for A-line at RC012 (014, 014, 016, 016) and again at RC036 (040, 044, 048, 052).

AT SAME TIME, shape back neck: At RC014 (016, 018, 020, 022): on left, inc 1 st, K2R; inc 2 sts, K2R, 2X.

At RC020 (022, 024, 026, 028): hang YM for edge of neck. Shoulder Shaping At RC029 (030, 033, 034, 034), on left, dec

1 st, K8 (8, 7, 7, 7)R, 5 (8, 7, 8, 9)X. Knit to RC056 (064, 070, 078, 084), side seam.

For side slit, remove 20 sts at right on WY for slit opening. Remove next 36 (37, 40, 41, 44) sts at right

nd Shape Underarm

Continue on remaining sts and et right, dec 1 st. K2R. 7X.

Knit to RC070 (078, 084, 092, 098). Remove remaining 38 (40, 42, 44, 46) sts for half of top of sleeve on WY.

Turn piece and rehang cast-on side with hem et left and purl side facing, and knit other helf of Back, reversing shaping, matching color sequence with first side.

FRONT

Right edge is bottom of garment; left edge is neckline With WY, cast on 94 (98, 104, 108, 114)

n's. Knit several rows ending COR. Reset RC000, change to MC. Place first 30 n's from left edge to hold for zipper opening. Russel Levers to hold. Begin with same color sequence as for

center back. E-wrap the 30 n's that are held and leave in HP. Thread up MC so it begins knitting immediately after the e-wrapped n's. K1R. Cancel

hold and K1R over all. Knit to RC008 (010, 012, 014, 016).

Neck Shaping Inc 1 st, K2R, 2X; inc 2 sts, K2R, 2X; inc 3

sts, K2R, 2X.

AT SAME TIME, at right, at RC012 (014, 014, 016, 016), make Short Row for A-line and again At RC036 (040, 044, 048, 052).

Hang YM at RC020 (022, 024, 026, 028)

for edge of neck. Shoulder Shaping

At RC029 (030, 033, 034, 034), at left dec 1 st, K8 (8, 7, 7, 7)R, 5 (6, 7, 8, 9)X. Knit to RC056 (084, 070, 078, 084), side

For side slit, remove 20 sts at right for slit opening on WY. Remove 36 (37, 40, 41, 44) sts at right on

WY. Shape Underarm

Continue on remaining sts and at right, dec 1 st, K2R, 7X.

Knit to RC070 (078, 084, 092, 098). Remove remaining 38 (40, 42, 44, 46) sts

for half of top of sleeve on WY. Turn plece and rehang cast-on side with hem at left and purl side facing.

RC000. CAL, matching color sequence, K1R. Bring the 30 n's at right for zipper opening

to work. E-wrap on. Knit this half of Front reversing shaping, matching color sequence with first side. Join shoulder/sleeve seam

7, 40, 41, 44) sts at right

Join shoulder/sleeve seam

Hold up to machine to measure its

required, stretching slightly. Hang one side, right side facing, picking up half outside edge stitch. Hang corresponding piece, putting right sides together. Manually knit one tight row to make seam. Manually knit loose row and chain cast off.

SLEEVES

38 (40, 42, 44, 46) n's each side of 0 to work, Hang sleeva sts from WY, centering 2 sts for shoulder seam at 0. RC000. With MC, K3B

At each side, dec 1 st, K3R, 5X; dec 1 st, K6 (6, 8, 5, 5)R, 5X; dec 1 st, K6R, 10X to 18 (20, 22, 24, 26) sts each side of 0. Knit to RC112 (112, 108, 106, 104), end of sleeve

Edging: T9, K1R. Do not break yarn. Chain cast off stitches to last one. Hold on tool. Turn piece and rehang remaining stitch at opposite end. Hang chain, both sides across same needles. T5, K1R. T9, K1R. Break vam and chain cast off.

Repeat for second sleeve.

FINISHING

Graft open sts of side seams. Finish side slit opening: 37 n's in work. Rehang open sts purl side facing, gathering 4 sts evenly spaced and doubling sts at center/top of slit. T9, K1R. Do not break vam. Chein off stitches to last one. Hold on tool. Turn piece and rehang chain, both sides, T5, K1R, T9, K1R, Break yarn and

chain off.

Seem underarm with mattress stitch. Finish bottom edge: Hang selvage, half outside edge of stitch, purl side facing. T5. K1R. T9. K1R. Do not break yarn. Chain off stitches to last one. Hold on tool. Turn piece and rehang chain, both sides. T5, K1R. T9, K1R. Break yam and chain off.

ноор

With WY, cast on 57-0-57 n's. Knit several Drop 5th stitch from each side and put

empty needle out of work. This will be fold line for casing. Knit a few more rows. Ravel cord, K1R. CAL. RC000. With MC, K1R.

Shape back neck

Reverse short-rowing: Hold all left side and 1-35 right of 0. KWK. Return 5 sts to UWP,

KWK; 2 sts, KWK, 5X. AT SAME TIME at RC005 make evalet for drawstring open, by moving 7th stitch from

edge to 6th needle, leave empty needle in work At RC014. Place all in hold. Break yam end

replace CAL. Reset RC001. Hold all right side and 1-35 left of 0 to HP. Matching color sequence of yern, KWK.

Return 5 sts to UWP, KWK; 2 sts, KWK, 5X. AT SAME TIME, at RC005, make eyelet as for other side.

At RC014, cancel hold and knit over all to

Shape top of hood Short-rowing: CAR. Hold left half and #1 right of 0. KWK. Hold 2 sts, KWK, 3X; hold 3 sts. KWK, 4X. Break yarn. Place all in HP. Return all sts right of 0 to UWP. Reset RC081. Place CAL. Matching color

sequence, K1R and shape this side in reverse to RC098. Cancel hold and K1R over all. Remove each half on separate WY.

Fold in half and graft saam for top of hood. Attach Hood 43 (44, 46, 48, 50) n's each side of 0. Wrong side facing, hang garment neckline. Hang cast-on edge/bottom of hood, right sida facing. At edge of hood, fold casing to inside of hood and hang those sts first. Put hood sts in hooks and garmant edge behind latches. Pull through. Manually knit loose row. Chain cast off. The cast-off will be on the outside of the garment, under the hood when hood is down.

Drawstring Make slip cord, 3 n's, T4, K450R. Transfer outer sts in. Pull tail of yarn through each to

Hand or machine stitch casing to inside of hood. Insert cord in casing end knot ends.

Front Placket

10-0-10 n's. MC, chain across needles. T4, K1R. Break yarn. Bring all to hold. Return 2 at center to work. K1R. Always wrapping last n in work at cerriage


side, return 1, K1R, 2X; return 2, K1R, 2X. Reneat to BC015, all n back in work Cast off 2 sts each side at center by moving #1 to #2.

Plece opposite side in hold. Matching color on each side, knit to RC062. Remove to WY Repeat for other side

Block and steam. Sew Zipper

Pin zipper in place on outside of front. Sew. Place Placket on top of zipper so only teeth of zipper are showing. Adjust length of sides of placket to align with neckline by unravelling a few rows if necessary and backstitch cast off the open sts. Sew around zipper through all layers (garment front/zipper tape and Placket) and around outer edge of placket. Dam in all ends.





5 Irish Tweed Tunic



· Women's XS (S. M. L. 1X) FINISHED MEASUREMENTS

- Bust 35 (38, 40, 45, 48)* · Length 27 (271/2, 28, 281/2, 29)* MATERIALS
- · 8 (9, 10, 11, 12) (100g; 164yd) balls Knit Picks City Tweed Aran (55% mering, 25% superfine alpaca, 20% Donegal tweed) color
- #C107 Tahitian Pearl · Size 7 US (4.5 mm) knitting needles.
- · Size 7 US (4.5 mm) 24" circular needle · Size 8 US (5 mm) knitting needles OR SIZE
- TO OBTAIN GAUGE Size 7 US (4.5 mm) crochet hook
- 1 button about ¾"/19mm dia. · 3 stitch holders, cable needle, varn needle
- GAUGE . 19 sts x 25 rows = 4" in St st with larger nee-
- TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

STITCH GLOSSARY

C3B; SI 1 st to cn. hold to back, k2, k1 from cn. C3F: SI 2 sts to cn, hold to front, k1, k2 from cn. C4B: SI 2 sts to cn, hold to back, k2, k2 from

C4F; SI 2 sts to cn. hold to front, k2, k2 from cn. Cr5FP. St 3 sts to cn. hold to front, k2, purl last st on cn. knit rem 2 sts on cn. T4BP SI 2 sts to cn, hold to back, k2, then p1,

k1 from cn. T4FP: SI 2 sts to cn, hold to front, k1, p1, then k2 from co

Tw2R: K2tog, but do not slip sts off needle, knit into first of these 2 sts again and slip sts off needle.

Twat: Working behind next st, knit into and st on LH needle without slipping at off needle.

Design by Gayle Bunn

Project features Knit Picks City Tweed Aran

Skill Level: Experienced Yarn Weight: #4

Cable Panel A (worked over 15 sts)

Row 1 (RS): P2, k3, (p1, k1) twice, p1, k3,

Row 2: K2, p2, (k1, p1) 3 times, k1, p2, k2. Row 3: P2, C3F, (p1, k1) twice, p1, C3B, p2,

Row 4: K2, p4, k1, p1, k1, p4, k2, Row 5: P2, k1, C4F, p1, C4B, k1, p2. Row 6: K2, p11, k2

Row 7: P2, k3, Cr5FP, k3, p2, Row 8: As Row 6.

Row 9: P2, k1, T4BP, p1, T4FP, k1, p2, Row 10: As Row 4. Row 11: P2, C3B, (p1, k1) twice, p1, C3F,

02 Row 12: As Row 2.

Rep these 12 mws for Cable Panel A. Cable Panel B (worked over 15 sts) Row 1 (RS): P2, k3, Cr5FP, k3, n2,

Row 2: K2, p11, k2 Row 3: P2, k1, T4BP, p1, T4FP, k1, p2, Row 4: K2, p4, k1, p1, k1, p4, k2, Row 5; P2, C3B, (p1, k1) twice, p1, C3F, p2 Row 6: K2, p2, (k1, p1) 3 times, k1, p2, k2.

Row 7: P2, k3, (p1, k1) twice, p1, k3, p2, Row 8: As Row 8.

Row 9: P2, C3F, (p1, k1) twice, p1, C3B, p2. Row 10: As Row 4.

Row 11: P2, k1, C4F, p1, C4B, k1, p2, Row 12: As Row 2. Rep these 12 rows for Cable Panel B.

2x2 Rib (multiple of 4 sts + 2) Row 1 (RS): "K2. p2: rep from " to last 2 sts.

12 Row 2: *P2 k2: ren from * to last 2 ets. n2 Rep these 2 rows for 2x2 Rlb.

INSTRUCTIONS

"With smaller ndls. CO 94 (98, 106, 114,

122) oto Work in 2x2 Rib for 3177.5cm, ending with a Row 2 and Inc 19 (23, 21, 23, 23) sts evenly across last row [113 (121, 127, 137, 145) sts.1

Change to larger ndls Establish Pattern

Row 1 (RS): K5 (9, 12, 17, 21), p2, *Tw2R. Tw2L, work Row 1 of Cable Panel A over next 15 sts, Tw2R, Tw2L **, work Row 1 Cable Panel B over next 15 sts; rep from * once more, then from * to ** once, p2, k5 (9,

12, 17, 21). Row 2: P5 (9, 12, 17, 21), k2, *p4, work Row

2 of Case Franci A over 1931 15 sec. p4 10. work Row 2 Cable Panel B over next 15 sts:

then knit into first st and sip both sts off neerep from * once more, then from * to ** once, k2, p5 (9, 12, 17, 21).

Continue in patt as established for 6 more Shape sides: Dec 1 st each end of next

row and every following 16th row 3 more times [105 (113, 119, 129, 137) sts].** Continue even in patt as established until

piece measures 151/2*/39.5 cm from beg; end with a WS row Divide Front Next row (RS): Work in patt over first 47 (51, 54, 59, 63) sts for Left Front, BO center

11 sts, work in patt to end of row for Right Front [47 (51, 54, 59, 63) sts on each side]. Right Front Work in patt over 47 (51, 54, 59, 63) Right

Front sts only until piece measures 181/2"/47 cm from beg; end with a RS row. Shape Ragtan Next row (WS): Bind off 2 (2, 2, 3, 3) sts,

work in patt to end of row [45 (49, 52, 56, 60) stsl. Row 1 (RS): Work in patt as established to last 4 sts. ssk. k2 [44 (48, 51, 55, 59) stsl. Row 2; P2, p2tog-tbl, work in patt to end of

row (43 (47, 50, 54, 58) stsl. Row 3: As Row 1 [42 (46, 49, 53, 57) sts]. Row 4: P3, work in patt to end. Rep last 4 rows 4 (6, 8, 8, 8) times (30 (28,

Sizes XS (S) only: Row 1 (RS): Work in patt to last 4 sts, ssk, k2 [29 (27) sts]

Row 2: P3, work in patt to end of row. Rep last 2 rows 4 (2) more times [25 sts]. Shape Neck

Dec 1 st at neck edge on next 14 (14, 14, 16, 18) rows, while at the same time, dec 1 st at ragian edge on RS rows until 4 (4, 4, 5. 6) sts rem. Dec 1 st at neck edge at beg of RS rows

only until 1 st rem. Fasten off. Left Front

25, 29, 33) sts1

With WS facing, join yam to rem 47 (51, 54, 59, 63) sts for Left Front. Work in patt until piece measures 181/2"/47

cm from beg; end with a WS row. Shape Raglan Next row (RS): Bind off 2 (2, 2, 3, 3) sts.

work in patt to end of row [45 (49, 52, 56, 60) sts].

Work 1 row even in patt. Row 1 (RS): K2, k2tog, work in patt to end of row [44 (48, 51, 55, 59) sts]. Row 2: Work in patt to last 4 sts, p2tog, p2 Row 3: As Row 1 [42 (46, 49, 53, 57) stsl.

143 (47, 50, 54, 58) St81.

Row 4: Work in patt to last 3 sts, p3. Rep last 4 rows 4 (8, 8, 8, 8) times [30 (28, 25, 29, 33) sts].

Row 1 (RS): K2, k2tog, work in patt to end of row [29 (27) sts]. Row 2: Work in patt to last 3 sts, p3.

Sizes XS (S) only:

Row 2: Work in patt to last 3 sts, p3. Rep last 2 rows 4 (2) more times [25 sts]. Shape Neck

Dec 1 st at neck edge on next 14 (14, 14, 16, 18) rows, while at the same time, dec 1 st at ragian edge on RS rows until 4 (4, 4, 5, 6) sts rem.

Dec 1 st at neck edge at end of RS rows only until 1 st rem. Fasten off.

BACK

BACK
Work from "* to ** as given for Front.
Cont in patt until prece measures 18½"/47
cm from beg; end with a WS row [105 (113, 119, 129, 137) sts].

Shepe Raglans BO 2 (2, 2, 3, 3) sts beg next 2 rows [101

(109, 115, 123, 131) sts].

Row1 (RS): K2, K2top, work in patt to last 4 sts, ssk, k2 [99 (107, 113, 121, 129) sts].

Row 2: P2, p2tog-bJ, work in patt to last 4 sts, p2tog, p2 [37 (105, 111, 119, 127) sts].

Row 3: As Row 1 [96 (103, 109, 117, 125)

sts]. Row 4: P3, work in patt to last 3 sts, p3. Rep last 4 rows 4 (6, 8, 10, 12) more times

[71 (67, 61, 57, 53) sts].
Next row (RS): K2, K2tog, work in patt to last 4 sts, sk, k2 (69, 65, 59, 55, 51) sts].
Next row: P3, work in patt to last 3 sts, p3.
Rep last 2 rows 13 (10, 7, 4, 2) more time(s)

[43 (45, 45, 47, 47) sts]. Place rem sts on a st holder.

SLEEVES (make 2)

With smaller ndis, CO 38 (38, 42, 42, 42) sts.
Work in 2x2 Rib for 2*/5 cm, ending with a

Row 2 and inc 3 (3, 3, 7, 7) sts evenly across last row [41 (41, 45, 49, 49) sts.

Establish Pattern Change to larger ndls. Row 1 (RS): (K1, p1) 3 (3, 4, 5, 5) times, k1, p2, Tw2R, Tw2L, work Row 1 of Cable Panel B over next 15 sts, Tw2R, Tw2L, p2, (k1, p1) 3 (3, 4, 5, 5) times, k1.

(3, 4, 5, 5) times.

Row 4: (k1, p1) 3 (3, 4, 5, 5) times, k3, p4, work Row 4 of Cable Panel B over next 15 sts, p4, k3, (p1, k1) 3 (3, 4, 5, 5) times.

These 4 rows establish Irish Moss St patt on

each side of Cable Panel.

Continue in patt as established for 2 more rows.

Inc 1 st at each end on next row and every

following 6th row 11 (12, 12, 12, 14) more times taking inc sts into Irish Moss st patt [65 (67, 71, 75, 79) sts rem]. Cont even in patt until piece measures 17½".

Cont even in patt until piece measures 179 from beg; end with a WS row. Shepe Ragians

Shepe Hagians
BO 2 (2, 2, 3, 3) sts beg next 2 rows [61 (63, 67, 69, 73) sts]
Sizes S (M, L, 1X) only:

Row 1 (RS): K2, k2tog, work in patt to last 4 sts, ssk, k2 [61 (65, 67, 71) sts]. Row 2: P2, p2togb, work in patt to last 4 sts, p2tog, p2 [59 (63, 65, 69) sts]. Row 3: As Row 1 [57 (61, 63, 67) sts].

Row 4: P3, work in patt to last 3 sts, p3. Rep last 4 rows 0 (1, 1, 2) more time(s) [57 (55, 57, 55) sts]. All sizes:

All sizes: Row 1 (RS): K2, k2log, work in pett to last 4 sts, ssk, k2 [59 (55, 53, 55, 53) sts]. Row 2: P3, work in patt to last 3 sts, p3. Rep lest 2 rows 24 (22, 21, 22, 21) more firms [11] stsl.

Place rem sts on a st holder

FINISHING

Pin pieces to measurements as shown on schematic. Cover with a damp cloth and allow cloth to dry. Sew raglan seams. Sew side and sleeve seams. Weave in ends.

Coller end Placket

Row 1 (RS): With RS facing and circ not, pick up and k51 (61, 85, 62, 85) sits up inplit front edge and front neck edge to ragion seam; k11 from right elevers is holder, doc 2 sits oversly across; k43 (45, 45, 47, 47) from Black st k1 holder, doc 2 sits oversly across; k43 (45, 5, 5, 3) sits every across; k11 from init sieves at holder, doc 2 sits oversly across; pick up and k51 (51, 53, 53) sits with 15 (51, 53, 53) sits with 15

Row 2: P3, "k2, p2; rep from " to last st, p1.
Row 3: K3, "p2, k2; rep from " to last st, k1.
Rep last 2 rows 3 more times, then rep Row 2 once.

Shape Coller

Note: When working short rows, for best results, wrap st immediately after Turn'. When these wrapped six are incorporated back into work, knit or puri into 'wrap along with stitich to 'hide' wrap. Next row (RS): K3, "0,2 k2; rep from " to last

Next row (Hs): N3, p2, k2, rep iron in last 3 sts, turn. Next row: Work in Rib patt as established to last 33 sts, turn.

Work next 10 rows in Rib patt as established to last 4 sts before previous turn, turn.

Next row (RS): Work in Rib patt to end of

row. Next row: Work in Rib to end of row [160 (160 164 168 172) sts].

Cont in Rib patt until Band at center front measures to fit across center front BO edge. BO in ribbing. Overlap right lapel over left lapel at center front and sew sides of Collar and Placket in position.

Button loop: With crochet hook, join yern with si st ebout 2" ebove placket BO edge on side edge of Collar and Placket. Make a chain 134"4.5 cm long and join with si st in same sp as first si st. Fasten off. Sew button opposite button loop.

CABLE PANEL B







6 Dreaming of Summer Shawl



· Shawl measures approximately 60" wide at

3 (100g; 270m) balls Omega Yarns Isuela

Size 5 US (3.75 mm) 36" or longer circular

18 sts x 24 rows = 4" in Stockinette stitch:

· Cable needle, stitch markers, yern needle

Gauge is not critical for this project.

(100% Mercerized cotton) #P2750

neck edge by 26" long at center Back

MATERIALS

Turquesa

needle

GAUGE

Back

Design by Camrina Castelan Project features Omega Yarns Isuela

Skill Level: Intermediate Yarn Weight: #3

and side edges. · Shawl may be worked longer or shorter by adding or subtracting rows and Lace panels.

STITCH GLOSSARY C4F: SI 2 sts to cn, hold to front, k2, k2 from

CENTER CABLE (panel of 8 sts) Row 1 (RS): P2, k4, p2, Row 2: Knit the knit sts end purl the purl sts as they face you. Row 3; P2, C4F, p2

Row 4: Rep Row 2. Rep Rows 1-4 for center Cable panel.

LACE PANEL (multiple of 7 sts)

Note: The Chart shows the 6-row set-up for the Lace panel after Set-up Rows 1 and 2. Beg Row 7 of Body Pattern Chart, work the 6-row rep of the Lace panel pattern for the remainder of the panel. When adding additional Lace panels, work as shown on the Chart (Rows 35 and 36), then work the 7-

st/6-row repeat to the end of each panel. Row 1 (RS): K1, k2tog, yo, k1, yo, ssk, k1. Rows 2 end 4: Puri.

Row 3: K2tog, vo. k3, vo. ssk. Row 5; Yo. k2ton, vo. sssk, vo. ssk, vo. Row 6: P3, p1-tbl, p3, Work this 7-st/6-row repeat for each Lace panel after the initial Set-up rows.

DESIGNER NOTES · Shawl is worked in one piece from the neck INSTRUCTIONS down, with a 4-st Cable panel at the center SHAWL

Beginning at the center Back neck edge. · 3 Garter st edge-sts frame the upper edge. CO 8 sts. with a Lace/Garter st border at the lower Increase Row (WS): K1, [k1-t/b] twice, [p1,

purling the vo's in the Body sections (3 sts in each Body section between markers] Row 3: Continue as established, keeping the first and last 3 sts in Garter st as edge sts and beginning the center Cable panel (Row 3) on the center 8 sts. Increase 1 st each side of each Body section, working

M1] twice, [k1-f/b] twice, k1 [14 sts].

Note 1: The 2 Set-up rows for the Shawl are shown in-full on the Body pattern Chart, as well as the beginning of the next 2 Lace panels (Rows 35 and 36), For all rows after these 2 Set-up rows, work ecross to the center Cable panel, then work in reverse from the Cable panel to the beginning of the row (both sides are identical, each side of the Cable panel). The center Cable panel will remain vertical from the Back neck to the lower edge; the Body sections slant to each side as sts are increased (see Diagram for direction of each section

Note 2: The Shawl is shaped by working a varn-over every RS row, inside the Garter st edge-sts and before/after the center Cable panel. The increased sts are worked in St st until the Lace panels begin (see

Charts and Diagram). Set-Up Row 1 (RS): K3 (edge sts. keep in Garter st), yo, p2, k4, p2 (center Cable panel), yo. k3 (edge sts, keep in Garter st) [16 sts]

Set-Up Row 2: K3, p1-tbl, k2, p4, k2, p1tbl k3

Establish Pattern

Row 1: K3, pm; yo, k1, yo; pm, p2, k4, p2, pm; (reverse direction if working from Chart); yo, k1, yo; pm, k3 [20 sts] Row 2 (WS): Work even as established,

the entire row as follows: [K3, yo] twice, p2, C4F, p2, [vo, k3] twice [5 sts in each Body section).

Row 4: Work even as established.

Row 5: K3, yo, k1, yo, sssk, yo, k1, yo; work Row 1 of the Cable panel; yo, k1, yo, sask, vo. k1, vo. k3 (7 sts in each Body section1

Row 6: Work even as established, working p1-tbl on center st of both Body sections. This completes the 6-row set-up for the Lace panel on each Body section; it may be

helpful to place additional markers around the Lace panels as they are added. Row 7: K3, yo; work Row 1 of the Lace panel across 7 sts; yo, work Row 3 of the

Cable panel, yo; work Row 1 of the Lace panel across 7 sts; vo. k3. Rows 8 and 10: Work even as established. panel across 7 sts, k1; yo, work Row 1 of the Cable panel, vo; k1, work Row 3 of the

Lace panel across 7 sts. k1: vo. k3. Row 11: K3, yo; k2, work Row 5 of the Lace panel across 7 sts. k2; yo, work Row 3 of

the Cable panel, yo; k2, work Row 5 of the Lace panel across 7 sts, k2; yo, k3. Row 12: Work even as established, working p1-tbl on center st of both Body sections.

Continue in this manner, working increased sts as established (in St st each side of the Lace panels). Rows 1-6 of the Lace panel. and Rows 1-4 of the Cable panel as set. When 34 rows have been worked, beg the next Lace panels as shown on the Chart. Continue in this manner, adding Lace panels when enough sts have been increased, until the piece measures 26° or desired length, down center Back (Cable panel); Edaina


(RS) Knit 4 rows (Garter st), adjusting the stitch count, if necessary, to a multiple of 18 oto ± 1 Row 1: K1 (edge st), yo, k7, *sssk, k7, yo, k1, yo, k7; repeat from * across to the last

11 sts, sssk, k7, yo, k1 (edge st). Rows 2-15: Continue from the Chart, ending with a RS row.

(WS) Knit 4 rows. (WS) BO all sts knitwise.

EINICHING


Block piece to open up the Lace if desired. Using yarn needle, weave in ends.



EDGING CABLE







7 Diamond-Edged Sweater



1X/2X 3X)

needle

FINISHED MEASUREMENTS

Length 23 (24½, 25½, 27)*

silk) color #708 Tea Rose

SIZE TO OBTAIN GAUGE

· Size 6 US (4 mm) knitting needles

· Removable stitch markers, stitch holder, yarn

Bust 34 (42, 49, 53)*

Design by Amy Gunderson Skill Level: Intermedate

Project features Wisdom Yarns Poems Silk Solids

Yarn Weight: #4

TO SAVE TIME. TAKE TIME TO CHECK

GAUGE DESIGNER NOTES

- · Diamond edging is worked sideways from side to side, separately for Back, Front,
 - · Pullover and Sleeves are worked back and forth from sts picked up across long edge
 - of Lower edging · Neckband is worked back and forth from
 - sts picked up along neck shaping. · Work all decreases 2 sts in from edge while shaping ragian.

STITCH GLOSSARY CURL (over 3 sts) Without dropping the

to end

stitches from the left needle, p3tog, then k3tog (same sts), then p3tog (same sts). drop the original sts from the left needle.

· Pullover is sized to fit Women's S (M/L, DIAMOND EDGING (beg over 17 sts)

Row 1 (RS): K1, vo. k2tog, vo. k1, vo. ssk. k5, p2tog, yo, p4 [18 sts]. Row 2 and all WS rows: P2, p2log, yo, purl

Row 3: K1, yo, k2tog, yo, k3, yo, ssk, k4, · 11 (13, 16, 19) (50g; 109vd) balls Wisdom p2tog, vo. p4 [19 sts]. Yarns Poems Silk Solids (75% wool, 25% Row 5: K1, yo, k2tog, yo, k5, yo, ssk, k3,

p2tog, yo, p4 [20 sts] · Size 7 US (4.5 mm) knitting needles OR Row 7: K1, yo, k2tog, yo, k3, Iyo, ssk, k2l

> twice, p2tog, yo, p4 [21 sts]. Row 9: K1, yo, k2tog, yo, k3, [yo, ssk] twice, k2, yo, ssk, k1, p2tog, yo, p4 [22 sts]. Row 11: K1, vo. k2top, vo. k3, Ivo. sskl 3

times, k2, yo, ssk, p2log, yo, p4 [23 sts]. · 17 sts x 22 rows = 4" in St st using larger Row 13: Ssk, [yo, ssk] twice, k2, [yo, ssk] twice, k1, k2tog, yo, k2, p2tog, yo, p4 [22 sts].

Row 15: Ssk, [yo, ssk] twice, k2, yo, ssk, k1, k2log, yo, k3, p2tog, yo, p4 [21 sts] Row 17: Ssk, Ivo. ssk) twice, k3, k2iog, vo.

k4, p2tog, yo, p4 [20 sts] Row 19: Ssk, [yo, ssk] twice, k1, k2tog, yo, k5, p2tog, yo, p4 [19 sts]

Row 21: Ssk, yo, ssk, k1, k2tog, yo, k6, p2tog, vo. p4 [18 sts].

Row 22: P2, p2tog, yo, purl to end Rep Rows 3-22 for Diamond Edging patt.

LITTLE TWISTS (multiple of 8 sts + 1) Rows 1-6: Beg with a RS row, work in St st

Row 7 (RS): K3. *curl. k5: rep from * to last 6 sts. curl. k3. Rows 8-12: Work in St et for 5 rows Row 13 (RS): K7, *curl, k5; rep from * to

loct 2 etc 1/2 Row 14: Purl

Rep Rows 3-14 for Little Twists patt.

INSTRUCTIONS

BACK Lower Edging

With larger ndis, CO 17 sts. Work Rows 1-22 of Diamond Edging patt

once, then rep Rows 3-22 of Diamond Edging patt 4 (5, 6, 7) times. Piece should measure about 17 (21, 24½, 26½)" from

Bind off.

Lower Back With RS facing and larger ndls, pick up and k73 (89, 105, 113) sts eveniv across straight side of lower edging. Next row (WS): Purl.

Work Rows 1-14 of Little Twists patt once.

then work Rows 3-7 once. Work even in St st until piece measures 16 (16½, 16½, 17)" from the bottom of lower edging: end with a WS row.

Shepe Raglan Bind off 3 (7, 11, 11) sts at beg of next 2 rows [67 (75, 83, 91) sts] rem. Dec row (RS): K2, ssk, knit to last 4 sts.

k2tog, k2 [2 sts dec'd]. Rep Dec row every RS row 18 (21, 23, 26) more times [29 (31, 35, 37) sts rem].

Bind off. FRONT

Work same as Back to ragian shaping

Shape Ragian Bind off 3 (7, 11, 11) sts at beg of next 2 rows [67 (75, 83, 91) sts] rem. Dec row (RS): K2, ssk, knit to last 4 sts.

k2tog, k2 [2 sts dec'd]. Rep Dec row every RS row 8 (11, 13, 16) more times [49 (51, 55, 57) sts rem].

Next row (WS): Purl. Shape Neck and Continue Ragian Shaping

Place removable markers on either side of center 9 (11, 15, 17) sts. Next row (RS): K2, ssk, knit to marker for left front, join new ball of yarn and bind off

center 9 (11, 15, 17) sts, knit to last 4 sts, k2tog, k2 for right front. Place left front sts on holder [19 sts rem for right front].

Right Front

Row 1 end all WS rows: Purl. Row 2 (RS): Bind off 3 sts, knit to lest 4

sts, k2tog, k2 [15 sts]. Row 4: Bind off 2 sts, knit to last 4 sts, k2tog, k2 [12 sts].

Row 6: Bind off 1 st, knit to last 4 sts. k2tog, k2 [10 sts].

Row 8: Rep Row 6 [8 sts]. Row 10: Knit to lest 4 sts, k2tog, k2 [7

stsl. Row 11: Purl. Rows 12-19: Rep last 2 rows 4 more

times [3 sts rem]. Bind off. Left Front

Return left front sts to ndis.

Row 1 (WS): Bind off 3 sts, purl to end [16 stsl.

Row 2 and all RS rows; K2, ssk, knit to end [1 st dec'd] Row 3: Bind off 2 sts, purl to end [13 sts].

Row 5: Bind off 1 st, purl to end [11 sts]. Row 7: Reo Row 5 [9 sts].

Rows 9, 11, 13, 15, 17, 19: Purl. Bind off rem 3 sts.

SLEEVES (make 2)

Bind off.

Lower Edging With larger ndls, CO 17 sts.

Work Rows 1-22 of Diamond Edging patt once, then rep Rows 3-22 of Diamond Edging patt 2 times. Piece should measure about 101/4" from beg

Main Sleeve

Note: Maintain increased sleeve sts in St st. With RS facing and larger ndls, pick up and k41 sts eventy across straight side of lower edaina

Next row (WS): Purl. Inc row (RS): K1, m1, work Row 1 of Little Twists patt. m1, k1 (2 sts inc'd).

Work next 7 (5, 3, 1) rows in pattern as established. Rep last 8 (6, 4, 2) rows 5 (8, 14, 17) more times [53 (59, 71, 77) sts], while at the same time, after having worked Rows 1-14 of Little Twists natt once and Rows 3-7 once, work even in St st. Work even in St st until piece measures 14 (14, 1412, 1415)* from bottom of lower edging; end with a WS

Shape Ragian

Bind off 5 (5, 9, 9) sts at beg of next 2 rows [43 (49, 53, 59) sts rem]. Dec row (RS): K2, ssk, knrt to last 4 sts,

k2tog, k2 [2 sts dec'd]. Rep Dec row every RS row 18 (21, 23, 26) more times (5 sts rem).

Bind off.

Sew left front, back left, and right front ragian seams, leaving back right raglan edges unseamed.

Neck Edging

With RS facing and smaller ndls, beg at back right neck edge, pick up and k98 (102, 110, 114) sts evenly around neck opening.

Knit 3 rows Bind off kwise.

Sew back right ragian seam. Sew sleeve and side seems. Weave in ends and block.

beg over 17 sts inc'd to 23 sts









8 On the Town Set



FINISHED MEASUREMENTS · Beret: 19" circumference Wristers: 7" length

MATERIALS Beret: 4 (10o: 49vd) balls Plymouth Yarn Angora (100% angora) color #710 Cream Wristers: 2 (10g; 49yd) balls Plymouth

Cream Invisible knitting elastic

1/2 yd smooth waste yarn in #3 weight cut in 2 equal pieces · Size 4 US (3.5 mm) double-pointed nee-

· Size 4 US (3.5 mm) 16" circular needle

· Size 6 US (4 mm) double-pointed needles · Size 6 US (4 mm) 16" circular needle OR

SIZE TO OBTAIN GAUGE · Stitch markers, stitch holders, cable needle, yam neadla

GAUGE · 22 sts x 30 rows = 4" in St st using larger ndis

· 28 sts x 30 rows = 4° in Lace Cable patt using larger ndfs TO SAVE TIME. TAKE TIME TO CHECK

GAUGE DESIGNER NOTES

· Stitch count changes on Lace Cable patt.

Do not count sts on Rnds 5 or 6. · On rnds following double vo, knit into back loops of each double vo.

STITCH GLOSSARY

C4F; SI 2 sts to cn, hold to front, k2, k2 from T3B: SI 1 st to cn, hold to back, k2, p1 from

TSF: Si 2 etc to an, hold to front, pt. k2 from

Design by Diane Zangl Project features Plymouth Yarn Angora

Skill Level: Intermediate

Yarn Weight: #3

M1: Make a backwards loop and place on M1-L: Purl into purl-bump of previous md on RH nd

M1-R: Puri into puri-bump of pravious rnd on LH ndl.

242 BIR

All rnds: "K2, p2; rep from " around.

LACE CABLE PATTERN (multiple of 18

Rnd 1: *K2, p2, k1, ssk, yo, p1, ssk, yo twice, k2tog, p1, vo, k2tog, k1, p2; rep from * Rnd 2: "[K2, p2] twice, k1, [k1-tbl] twice, k1,

p2, k2, p2; rep from * around. Rnd 3: *K2, p2, k1, ssk, vo, p1, C4F, p1, vo, k2tog, k1, p2; rep from * around.

Rnd 4: *[K2, p2] twica, k4, p2, k2, p2; rep from * around. Rnd 5: *K2, p2, T3F, k2tog, k1, yo, k1, ssk,

T3B, k2: rep from * around. Rnd 6: "K2, p3, K9, p3; rep from " around. Rnd 7: "K2, p3, M1-L, k3tpg, k1, yo, M1-R, Yarn Angora (100% angora) color #710

k1, yo, k1, sssk, M1-L, p3; rep from * around. Rnd 8: *K2, p4, K8, p4; rep from * around.

Rnd 9: "K2, p3, k2tog, k1, yo, k2tog, yo twice, ssk, vo. k1, ssk, p3; rep from * around. Rnd 10: "K2, p3, k2, p1, k1, [k1-tbl] twice,

k1, p1, k2, p3; rep from * around. Rnd 11: 'K2, p2, k2tog, k2, p1, k1, vo twice, k1, p1, k2, ssk, p2; rep from * around. Rnd 12: Rep Rnd 2.

Rep Rnds 1-12 for Lace Cable patt.

BERET INSTRUCTIONS

With smaller circ ndl and 1 strand each of vam and knitting alastic held together. CO 104 sts. Pm for beg of md. Join to work in the md, being careful not to twist. Beg 2x2 Rib and work for 10 mds, inc 12 sts

avenly on last md [116 sts]. Cut knitting elastic. Change to larger circ nd. Next (Inc) rnd: *K2, M1, K3, M1; rep from * around end with k1 [162 sts],

Establish Pattern Beg Lace Cable patt and work evan for 43

rnds. Shape Crown

Move end-of-rnd marker 1 st to the left. Place different color markers after every 18 sts. Change to larger dpns when number of sts has been sufficiently reduced. Find 1: Sck, p3, K5, p3, k2tog; rep from * around [18 sts dec'd].

Rnd 2: *K1, p2, k2tog, k1, vo, k2tog, vo twice, ssk, yo, k1, ssk, p2, k1; rep from * around.

Rnd 3: "Ssk, p1, k2, p1, k1, [k1-tbi] twice, k1, p1, k2, p1, k2tog; rep from * around [18] sts dec'dl.

Rnd 4: *K4, p1, k2tog, yo twice, ssk, p1, k4; rep from * around

Rnd 5: *Ssk, k2, p1, k1, [k1-tbl] twice, k1, p1, k2, k2tog: rep from * around [18 sts dec'd

Rnd 6: "K1, ssk, yo, p1, ssk, yo twice, k2tog, p1, vo. k2tog, k1; rep from * around. Rnd 7: "Ssk, p2, k1, [k1-tbl] twice, k1, p2, k2tog; rep from * around [18 sts dec'd]. Rnd 8: "K1, p2, C4F, p2, k1; rep from "

Rnd 9: "Ssk. p1, k2tpp, vo twice, ssk. p1, k2log; rep from * around [18 sts dec'd]. Rnd 10: "K1, p1, k1, [k1-tbl] twice, k1, p1, k1; rep from * around

Rnd 11: "Ssk, C4F, k2tog; rep from " around [18 sts dec'd]. Rnd 12: "Ssk, k2, k2tog; rep from " around

[18 sts dec'd: 4 sts rem ea section]. Rnd 13: "Ssk. k2log: rep from " around [18]

sts dec'd). Rnd 14: K2tog around. Cut yam, leaving 12" tail.

FINISHING

Thread yarn needle with yarn tail and pass vam ndl through rem sts twice. Draw tight to close opening. Securely fasten off. Weave in all ends. Lightly block beret over a 14' card-

board circle or dinner plate.

MITTS INSTRUCTIONS RIGHT MITT

With smaller dpns and 1 strand each of yarn and knitting elastic held together, CO 36 sts. Join to work in the md, being careful not to

twist. Pm for beg of rnd. Bag 2x2 Rib and work for 12 mds Cut knitting elastic. Change to larger dons.

Establish Pattern Next rnd: Work Lace Cable patt over 18 sts,

knit to end of rnd. Keeping first 18 sts in est patt and remaining sts in St st, work even for 24 mds Thumb Opening

Next rnd: Work first 20 sts in est patt, drop yam, knit next 6 sts with waste yam, return 6 sts just worked to LH ndl. Drop waste vam and with main vam, knit to end of rnd. Cont as asl until a total of 44 mas of Lace Cable patt have been completed

Change to smaller dpns and work even in 2x2 Rib for 6 mds.

BO in rib. Thumb Ribbing

Remove waste yarn and place live sts 2 dons. Pick up 2 or 3 sts at each end of opening to fill in the gaps. Join main yarn and knit 1 rnd, dec as necessary to 12 sts (4 sts on 3 dpns).

Work even in 2v2 Rib for 4 mds. BO in rib.

LEET MITT

Work as for Right Mitt until 24 mds of Lace Cable patt have been completed.

Thumb Opening

Next rnd: Work to last 8 sts, drop yarn, knit next 6 sts with waste yarn, return 6 sts just worked to LH ndl. Drop waste yarn and with main yam knit to end of rnd. Finish remainder of mitt and thumb rib as for Right Mitt.

FINISHING Weave in all ends. Lightly block the mitts.

KEY

ПК ■ P O Yo

 Ssk K3tog

Sssk Sssk M1-R

2 K1.th No stitch

C4F T3B

T3F Repeat LACE CABLE PATTERN



9 Silverlace Scarf



FINISHED MEASUREMENTS

- Length 70"
- Width 4° MATERIALS
- 1 (100g; 31vd) ball Premier Yarns Starbolia Lace (45% acrylic, 55% polyester) color #5106 Silver Coin

Design by Premier Yams Design Team Project features Premier Yarns Starbella Lace Skill Level: Easy

Yarn Weight: #5

· Size 7 US (4.5 mm) knitting needles · Yarn needle, sewing needle and matching thread (optional)

GAUGE · Gauge is not critical for this project.

DESIGNER'S NOTES

· Pull out a short length of Starbella Lace and pull the ribbon widthwise to open it up The meshy lace border should be at the bottom for this project. The open loops will be referred to as the top of the vam, and these loops are what you will use to knit.

INSTRUCTIONS SCARF

CO 5 sts as follows: Pull out a length of yam and open it up; insert into each loop along top edge, working from back to front. Bow 1: Kot

Rep Row 1 until 1 yard of yarn remains. BO all sts as usual, pulling the varn through the too loop of the last slitch.

FINISHING

Weave in ends. Because this yam is actually netting, you may preter to use an optional sewing needle and thread to secure ends; trim close to stitching.



10 Swan Song Set



Women's S (M. L. 1X, 2X) FINISHED MEASUREMENTS

- Bust 37 (41, 45, 50, 54)° Length 14 (14½, 15½, 16½, 17)*, not
- including edging Tank Bust 35 (39, 43, 48, 52)*
- Length 27 (27½, 28, 28½, 29)* MATERIALS
- · 8 (9, 10, 11, 12) (3oz/85g; 252yd/230m) balls Patons Yarn Metallic (63% nvlon. 28% acrylic, 9% wool) color #95044
- Pewter Size 7 US (4.5 mm) knitting needles OR
- SIZE TO OBTAIN GAUGE Size G-6 US (4 mm) crochet hook (for Cardigan lace edging)
- · Stitch markers, stitch holders, vam needle GAUGE
- · 23 sts x 28 rows = 41 in pattern st, slightly stretched
- · 20 sts x 27 rows = 4" in Rev St st TO SAVE TIME, TAKE TIME TO CHECK GALIGE

DESIGNER NOTES

· Due to the nature of the pattern stitch, the finished tank will have some stretch, allowing for a more fitted bust.

INSTRUCTIONS

CO 101 (113, 125, 137, 149) sts. Row 1 (WS); K2, *p1, k3; rep from * to last 3

sts. n1. k2 Row 2: K1, p1, [wyib sl 1 st purlwise with 1 yo, p1] twice, "wylb si 1 st puriwise with 1 yo, p3; rep from " to last 7 sts, [wylb sl 1 st purl-

wise with 1 yo, p1] 3 times, k1.

Next row (RS): Work in patt over first 20

Design by Sandi Prosser Project features Patons Yarn Metallic

Skill Level: Intermediate

Yarn Weight: #4

Row 3: K2, [purl next st and yo tog as 1 st, k1] twice, "purl next st and yo tog as 1 st,

k3; rep from * to last 7 sts. [purl next st and vo tog as 1 st, k113 times, k1. Rep last 2 rows until piece measures 6" from beg; end with a WS row and place markers at each end of last row worked. Next row (RS): K1, p1, "wylb sl 1 st purlwise with 1 yo, p3; rep from * to last 3 sts,

wylb al 1 st purlwise with 1 yo, p1, k1. Next row: K2, "purl next st and vo too as 1 st, k3; rep from * to last 3 sts, purl next st and yo too as 1 st. k2.

Rep last 2 rows until piece measures 181/2" from beg; end with a WS row.

Shape Armholes

Next row (RS): BO 5 sts (1 st rem on RH needle), wylb sl 1 st purlwise with 1 vo. p1, wyib sl 1 st purlwise with 1 vo. continue in

patt as established to last 9 sts. wvib sl 1 st purlwise with 1 yo, p1, wylb sl 1 st purlwise with 1 yo, p3, wylb sl 1 st purlwise with 1 vo, p1, k1 [96 (108, 120, 132, 144) sts]. Next row: BO 5 sts (1 st rem on RH nee-

die), puri next st and yo tog as 1 st, p1, puri next st and yo tog as 1 st, continue in patt as established to last 4 sts, purl next st and yo tog as 1 st, p1, purl next st and yo tog as 1 st, k1 [91 (103, 115, 127, 139) sts] Next row: K1, wyb sl 1 st purlwise with 1 vo. p1, wvib sl 1 st purlwise with 1 vo. dec

1 st maintaining patt, work in patt to last 6 sts, dec 1 st maintaining patt, wyib sl 1 st purlwise with 1 yo, p1, wyb sl 1 st purlwise with 1 vo. k1. Next row: K1, purl next st and vo too as 1

st, p1, purl next st and yo tog as 1 st, dec 1 st maintaining patt, work in patt to last 6 sts, dec 1 st maintaining patt, purl next st and yo tog as 1 st, p1, purl next st and yo tog as 1 st. k1.

Repeat last 2 rows 1 (1, 2, 3, 3) times more [83 (95, 103, 111, 123) stal. Next row (RS): K1, wyib sl 1 st purlwise

with 1 vo. p1, wylb si 1 st puriwise with 1 yo, dec 1 st maintaining patt, work in patt to last 6 sts. dec 1 st maintaining patt, wylb sl 1 st purlwise with 1 yo, p1, wyib sl 1 st purl-

wise with 1 yo, k1. Next row: K1, purl next st and vo tog as 1 st, p1, purl next st and yo tog as 1 st, work in patt to last 4 sts, purl next st and yo tog as 1 st, p1, purl next st and yo tog as 1 st,

k1 [81 (93, 101, 109, 121) sts]. Repeat last 2 rows 6 (7, 7, 8, 8) times [69] (79, 87, 93, 105) stsl.

Work even in patt as established until armhole measures 61/2 (7, 71/2, 8, 81/2)1; end with a WS row. Shape Neck and Shoulders

(25, 27, 30, 36) sts, place center 29 (29, 33, 33, 33) sts on holder, join a second ball of varn and work in patt to end of row

Working both sides at same time, BO 6 sts from each neck edge once [14 (19, 21, 24, 30) sts rem each side for shoulderl. Work even in patt until armhole measures 8 (81/2, 9, 916, 101".

BO 7 (9, 10, 12, 15) sts from each shoulder edge once, then BO rem 7 (10, 11, 12, 15)

Make same as Rank

FINISHING Sew right shoulder seam.

With RS facing, pick up and k10 sts down left front neck edge, work in patt across 29 (29, 33, 33, 33) sts on front st holder, pick up and k9 sts up right front neck edge to

shoulder, pick up and k10 sts down right back neck edge, work in patt across 29 (29, 33, 33, 33) sts on back st holder, pick up and k10 sts up left back neck edge [97 (97, 105, 105, 105) stsl.

Working purl and yo's tog where needed, proceed as follows Set-Up row (WS); K0 (2, 2, 0, 2), p1, *k3,

p1; rep from * to last 0 (2, 2, 0, 2) sts. k0 (2, Row 1 (RS): P0 (2, 2, 0, 2), wy/b sl 1 st

purlwise with 1 yo, *p3, wylb sl 1 st purlwise with 1 vo: rep from * to last 0 (2, 2, 0, 2) sts. p0 (2, 2, 0, 2). Row 2: K0 (2, 2, 0, 2), purl next st and vo

tog as 1 st. *k3. purl next st and vo tog as 1 st: rep from * to last 0 (2, 2, 0, 2) sts. k0 (2,

Repeat last 2 rows until collar measures 21/2" from pick-up row; end with a RS row. BO in pattern. Sew left shoulder and collar Sew side seams from markers to armhole

shaping, leaving rows from cast on to marker open for side vents.

CARDIGAN INSTRUCTIONS

BACK

CO 93 (103, 113, 125, 135) sts Beg with a purl (RS) row, work in Rev St st

until piece measures 6 (6, 61/2, 7, 7)" from beg: end with a WS row. Shape Armholes

BO 4 (4, 5, 6, 7) sts at beg of next 2 rows. Dec 1 st at each end of next 3 rows, then every RS row 4 (5, 6, 6, 7) times [71 (79, 85, 95, 101) sts) Work even in Rev St st until armhole measures 71/2 (8, 81/2, 9, 91/2)"; end with a WS row

Shape Shoulders BO 9 (10, 11, 13, 14) sts at beg of next 2

rows, 9 (11, 11, 14, 14) sts at beg of next 2 rows. BO rem 35 (37, 41, 41, 45) sts.

RIGHT FRONT

CO 25 (30, 35, 41, 44) sts. Row 1 (RS): K2, p1, k1, purl to end of row. Row 2: Knlt to last 5 sts, m1, k1, [p1, k1] twice [26 (31, 36, 42, 45) sts]. Row 3: K1, wylb sl 1 st purlwise with 1 yo,

p1, wylb sl 1 st purlwise with 1 yo, p1, m1p, purl to end of row. Row 4: Knit to last 5 sts, m1, k1, [purl next

st and vo tog as 1 st, k1] twice. Repeat last 2 rows once more [30 (35, 40, 46, 49) sts1

Row 7: K1, wrib sl 1 st purlwise with 1 yo, p1, wylb si 1 st purlwise with 1 yo p1, m1p, purl to end of row [31 (36, 41, 47, 50) sts]. Row 8: Knit to last 4 sts, [purl next st and yo

too as 1 st, k11 twice. Repeat last 2 rows 9 times more [40 (45, 50, 56, 59) stal. Work even in patt as established until piece measures 6 (6, 61/2, 7, 7)* from beg; end

with a WS row.

Shape Armhole and Neck Next row (RS): K1, wylb sl 1 st purlwise with 1 yo, p1, wyib sl 1 st purlwise with 1 vo. p2tog, purl to end of row.

Next row: BO 4 (4, 5, 6, 7) sts, work in patt to end of row. Dec 1 st at armhole edge of next 3 rows,

then every RS row 4 (5, 6, 6, 7) times, while at the same time, dec 1 st at neck edge every 4th row 10 (11, 13, 13, 13) times [18 (21, 22, 27, 28) sts rem after all dec's com-

Work even in patt as established until armhole measures 71/2 (8, 81/2, 9, 91/2)"; end with a RS row. Shape Shoulder

BO 9 (10, 11, 13, 14) sts at beg of next WS Work 1 row even, BO rem 9 (11, 11, 14, 14)

LEFT FRONT

CO 25 (30, 35, 41, 44) sts. Row 1 (RS): Purl to last 4 sts. k1, p1, k2. Row 2: [K1, p1] twice, k1, m1, knit to end of row [26 (31, 36, 42, 45) sts].

Row 3: Purl to last 5 sts, m1p, p1, wysb sl 1 st purlwise with 1 vo. p1, wyib sl 1 st purlwise with 1 yo, k1.

Row 4: K1, [purl next st and yo together as 1 st, k11 twice, m1, knit to end of row. Repeat last 2 rows once more [30 (35, 40,

46, 49) sts Row 7: Purl to last 5 sts, m1p, p1, wyib sl 1

st purlwise with 1 yo, p1, wylb sl 1 st purlwise with 1 vo. k1. Row 8: K1, [purl next st and yo together as 1 st, k1] twice, knit to end of row.

Repeat last 2 rows 9 times more [40 (45 50, 56, 59) sts]. Work even in patt as established until piece measures 6 (6, 61/2, 7, 7)* from beg; end

with a WS row Shape Armhole and Neck

Next row (RS): RO 4 (4. 5. 6. 7) sts. purl to last 6 sts. p2tog, wyib sl 1 st purlwise with 1 vo. p1, wilb sl 1 st purtwise with 1 vo, k1. Work 1 row even. Dec 1 st at armhole edge of next 3 rows, then every RS row 4 (5, 6, 6. 7) times, while at the same time, dec 1 st at neck edge every 4th row 10 (11, 13, 13, 13) times more [18 (21, 22, 27, 28) sts rem after all dec's completed)

Work even in patt as established until armhole measures 71/2 (8, 81/2, 9, 91/2)*; end with a WS row. Shape Shoulder

BO 9 (10, 11, 13, 14) sts at beg of next RS row. Work 1 row even. BO rem 9 (11, 11, 14, 14) sts.

CO 49 (49, 49, 53, 53) sts. Row 1 (WS): K1, *k3, p1; rep from * to last A etc lot Row 2 (RS): K1, p3, "wylib sl 1 st purlwise

with 1 vn. n3: ren from " to st. k1. Row 3: K1, "k3, purl next st and yo together as 1 st; rep from " to last 4 sts, k4. Receat last 2 rows until piece measures 21½" from beg; end with a WS row.

Beg with a purl (RS) row, work in Rev St st, increasing 1 st at each end of 9th and every following 10th (8th, 6th, 6th, 6th) row 5 (7, 9, 9, 11) times, then every 12th (8th, 8th, 8th, 8th) row 3 times (67 (71, 75, 79, 83) stsl. Work even in Rev St st until piece measures 18 (18, 18½, 18½, 18½)* from beg;

end with a WS row. Shane Can BO 4 (4, 5, 6, 7) sts at beg of next 2 rows. Dec 1 st at each end of next 5 rows, then every RS row 9 (11, 12, 13, 14) times. BO 2 sts at beg of next 4 rows, then 3 sts at beg

of next 2 rows. BO rem 17 sts.

multiple of 15 sts plus 2 sts.

FINISHING

Block pieces to measurements. Sew shoulder seams. Sew right side seam.

Cardi Edging With RS facing and crochet hook, join yarn with sI st to bottom of back at left side

Row 1: So evenly spaced around entire edge of cardi, ensuring that you have a

Row 2: Ch 3 (counts as do here and throughout), sk first 2 sc, (dc, ch 1, dc) in next sc, *sk 2 sc, (dc, ch 1, dc) in next sc; rep from " to last 2 sts, sk next sc, do in last sc. Turn.

Row 3: Ch 5 (counts as dc, ch 2 here and throughout), so in first ch-1 sp, *ch 5, sc in next ch-1 sp; rep from * to last 2 sts, ch 2. sk next st, do in top of turning ch. Turn.

Row 4: Ch 3, 3 dc in first ch-2 sp, sc in next ch-5 sp, *[ch 5, sc in next ch-5 sp] 3 times. 7 dc in next ch-5 sp, sc in next ch-5 sp: rep from * to last 3 ch-sps, (ch 5, sc in next ch-5 spl 3 times, 4 dc in last ch-2 sp. Tum

Row 5: Ch 4 (counts as dc, ch 1), sk first dc, [dc in next dc, ch 1] 3 times, sc in next ch-5 sp, [ch 5, sc in next ch-5 sp] twice, "[ch 1, dc in next dc] 7 times, ch 1, sc in next ch-5 sp. [ch 5, sc in next ch-5 sp] twice: rep from * to last 4 dc, [ch 1, 1 dc in next dol 4 times. Turn.

Row 6: Ch 5, sk first dc, [dc in next dc, ch 21 3 times, *sc in next ch-5 sp, ch 5, sc in next ch-5 sp, ch 2, [dc in next dc, ch 2] 7 times, rep from * to last 2 ch-5 sps, sc in next ch-5 sp, ch 5, sc in next ch-5 sp, [ch 2, dc in next dc] 4 times. Turn.

Row 7: Ch 3, [ch 3, sc in 3rd ch from hook - picot made], [dc in next ch-2 sp, make picot] 4 times, sc in next ch-5 sp, make picot, *[dc in next ch-2 sp, make picot] 8 times, so in next ch-5 sp, make picot; rep from * to last 4 ch-2 sps, [dc in next ch-2 sp. make picot) 4 times, dc in last st. Easten off

Sew left side and edging seam. Sew sleeve seams. Set in sleeves.















11 Cabled Tunic



Design by Premier Yarns Design Team Project features **Premier Yarns** Deborah Norville Serenity Chunky

Skill Level: Intermediate Yarn Weight: #5

MATERIALS

- 5 (6, 6, 7, 8) (100g; 109yd) balls Premier Yarns Deborah Norville Serenity Chunky (100% acrylic) color #7029 Ampro Blue
 Size 11 US (8 mm) 16" circular needle
- Size 11 US (8 mm) 32' circular needle OR SIZE TO OBTAIN GAUGE
- Stitch markers, stitch holder, cable needle, yam needle
 GAUGE
- 10 sts x 16 rows = 4" in St st and Seed st TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

DESIGNER NOTES

- Turtic is worked in rnds beg at lower edge.
 Piece is divided at underarm and Front and Back worked separately back and forth in rows.
- Sleeves are worked separately from lower edge to shoulder back and forth in rows and sewn into armholes.

 Stitches for Neckband are picked up and knit in rounds.

STITCH GLOSSARY

- Note: Read the definitions for crosses and twists carefully, as they are very similar and may differ from definitions you have seen elsewhere
- 3/3 LPC: 3 over 3 Left Puri Cross—Si next 3 sts to cn, hold to front, k3, p3 from cn. 3/3 RPC: 3 over 3 Right Puri Cross—Si next 3 sts to cn, hold to back, p3, k3 from
- T6F: 3 over 3 Left Twist—SI next 3 sts to on, hold to front, p3, k3 from on. T6B: 3 over 3 Right Twist—SI next 3 sts to on, hold to back, k3, p3 from on.

2x2 RIB WORKED IN RNDS (multiple of 4

Rnd 1: "P2, k2; rep from " around. Rep Rnd 1 for 2x2 rlb worked in mds.

Women's S (M, L, 1X, 2X)
 Thirties are accurately as a second control of the control of

- FINISHED MEASUREMENTS
 Bust 33½ (36¾, 41½, 44¾, 49½)*
- Bust 33½ (36%, 41½, 44¼, 49½)*
 Length 24¾ (25¼, 25¾, 26¼, 26¼)*

2x2 RIB WORKED IN ROWS (multiple of 4 sts

Row 1 (RS): K2, *p2, k2; rep from * across. Row 2: Knit the knit sts and purl the purl sts as they face you.

Ren Row 2 for 2x2 rib worked in rows.

SEED STITCH WORKED IN RNDS (over even number of sis)

Rnd 1: 'K1, p1; rep from ' around. Rnd 2: *P1, k1; rep from * around. Rep Rnds 1 and 2 for Seed st worked in mds.

SEED STITCH WORKED IN ROWS (over even number of sts)

Row 1: 'K1, p1; rep from ' across. Row 2: "P1, k1: rep from " across. Rep Rows 1 and 2 for Seed st worked in rows.

HORSESHOE CABLE WORKED IN RNDS

(over 12 sts) Rnds 1-5: K3, p6, k3. Rnd 6: 3/3 RPC, 3/3 LPC. Rnds 7-11: P3, k6, p3, Rnd 12: T6B, T6F.

Ren Rnds 1-12 for Horseshoe Cable worked in myle

HORSESHOE CABLE WORKED IN ROWS (over 12 sts)

Row 1 (WS): P3, k6, p3. Row 2: K3, p6, k3, Rows 3 and 4: Rep Bows 1 end 2. Row 5: P3, k6, p3. Row 6: 3/3 RPC, 3/3 LPC. Row 7: K3. p6. k3.

Row 8: P3, k8, p3, Rows 9 and 10: Rep Rows 7 and 8 Row 11: K3, p6, k3.

Rnd 12: T6B, T6F, Rep Rows 1-12 for Horseshoe Cable worked in mws

INSTRUCTIONS With longer circ ndl, CO 84 (92, 104, 112, 124) sts. Pm for beg of md. Join to work in

the md. being careful not to twist sts Work in 2x2 rlb until piece measures 2' from

Set-Up rnd: Work in Seed st over first 4 (5, 7, 8, 11) sts, pm, work Rnd 1 of Horseshoe Cable pattern over next 12 sts, pm, p10 (12, 14, 16, 16), pm, work Rnd 1 of Horseshoe Cable pattern over next 12 sts, pm, work in Send at to end.

Work in patterns as established, slipping merkers as you come to them, until piece measures 18" from CO. Divide for Front end Beck

FRONT Row 1 (RS): BO 2 (3, 4, 4, 5) sts for underarm, work in patterns as established (worked in rows) across next 40 (43, 48, 52, 57) sts, place rem 42 (46, 52, 56, 62) Back sts on

stitch holder Row 2 (WS): BO 2 (3, 4, 4, 5) sts for underarm, work in patterns as established [38 (40, 44 48, 52\ Front sts remi.

Work even in patterns as established until piece measures 4% (5%, 5%, 6%, 6%)" from divide: end with WS row. Shape Front Neck

Row 1 (RS): Work in patterns as established across first 14 (15, 16, 18, 20) sts, join 2nd ball of yam and BO 10 (10, 12, 12, 12) sts. work in natterns as established to end. Row 2: Working both sides at the same time. work even in pattern as established.

Dec row: Working both sides at the same time, dec 1 st at each neck edge [13 (14, 15, 17, 19) sts rem on each side] Rep last 2 rows twice more, [11 (12, 13, 15, 17) sts remain on each sidel. Rep Row 2.

BO rem sts. BACK

With RS facing, return Back sts from stitch holder to needle, join yarn at underarm, and complete seme as Front.

With shorter circ ndl, CO 26 (30, 34, 38, 42)

Work even in 2x2 rib worked in rows until piece measures 31/2" from CO. Beg Seed st; work even until piece mea-

sures 15" from CO; end with WS row. Shape Sleeve Next row (RS): BO 2 (3, 4, 4, 5) sts at beg of next 2 rows [22 (24, 26, 30, 32) sts

remain). Work in Seed st for 4 rows. BO rem sts.

FINISHING

Sew shoulder seams. Sew sleeve seams, sew sleeves into armholes. Weave in ends. Neck Band

With RS facing and shorter circ ndl, beg at side seam, pick up and k48 (48, 52, 52, 52) sts evenly around neck edge. Join, pm for beg of rnd. Beg 2x2 rib; work even for 4 rnds. BO all sts loosely in rib pattern. Weave in all rem ends...









12 City Blocks Cardi



Women's S (M, L, 1X, 2X)

FINISHED MEASUREMENTS Bust 34 (38, 42, 46, 50)*, not including front

· Yoke Depth 101/2", including collar

 Length 26½" MATERIALS

· 3 (4, 4, 5, 5) (4oz; 203yd) balls Premier Yarns Deborah Norville Everyday Soft Worsted (100% acrylic) color #1002 Cream

2 (4oz; 203yd) balls Premier Yarns Deboreh Norville Everyday Soft Worsted (100% acrylic) color #1019 Navy (A)

1 (4oz; 203yd) ball Premier Yarns Deborah Norville Everyday Soft Worsted (100% acrylic) color #1017 Azure (B)

1 (4oz: 203vd) ball Premier Yarns Deborah Norville Everyday Soft Worsted (100% acrylic) color #1005 Baby Blue (C) 1 (4oz; 203vd) ball Premier Yarns Deborah

Norville Everyday Soft Worsted (100% acrylic) color #1022 Bittersweet (D) Size 8 US (5 mm) 24" circular needle OR

SIZE TO OBTAIN GAUGE · Size 8 US (5 mm) set of 4 or 5 double-

pointed needles Size 7 US (4.5 mm) 24" circular needle OR

SIZE TO OBTAIN GAUGE · Size 7 US (4.5 mm) set of 4 or 5 doublepointed needles

Ten 34" buttons, yarn needle, stitch holders

· 18 sts x 22 rows = 4" in stranded knitting with lerger ndis . 18 sts x 22 rows = 4" in St st with smaller

GAUGE

Design by Amy Gunderson

Project features Premier Yarns Deborah Norville Everyday Soft Worsted

Skill Level: Experienced Yarn Weight: #4

DESIGNER NOTES

· Cardi is worked in rnds from the top down. Piece is divided at underarm and Body and Sleeves worked separately.

· Front Steek sts are not worked in Fair Isle patt from Charts; work them alternately with colors of current row when working from Charts

 7 steek sts are maintained at center front. and cut for front opening when finishing. Carry color not in use loosely across WS

INSTRUCTIONS

COLLAR

With smaller circ ndl and A, CO 7 sts (for steek), pm, CO 88 (96, 104, 108, 112), Pm for beg of rnd. Join to work in the rnd. being careful not to twist.

Rnd 1: [P1, k5, p1] over steek sts, sm, [k2, p2] to end.

Rep last rnd until Collar measures 11/5" from bea Inc rnd: [P1, k5, p1] over steek sts, sm,

knit to end and inc 30 (34, 35, 37, 45) sts evenly across rnd [125 (137, 146, 152, 164) sts; 118 (130, 139, 145, 157) sts and 7 steek stsl Next rnd; [P1, k5, p1] over steek sts. sm.

knit to end. Yake

Change to larger circ ndl.

Work Rows 1-5 of Yoke Chart, changing colors as shown. Work steek sts as follows: P1 with either color, k5, alternating colors, p1. Work steek like this throughout. Rnd 6; With A. work ecross steek, knit and

inc 39 (45, 48, 60, 60) sts evenly across rnd [164 (182, 194, 212, 224) sts; 157 (175, 187, 205, 217) sts + 7 steek stsl. Work Rows 7-12 of Yoke Chart.

Rnd 13: With MC, work across steek, knit and inc 77 (86, 92, 101, 107) sts evenly across rnd [241 (268, 286, 313, 331) sts; 234 (261, 279, 306, 324) sts + 7 steek stsl.

Work Rows 14-20 of Yoke Chart Rnd 21: With MC, work across steek, knit and inc 23 (28, 34, 31, 37) sts evenly across rnd [264 (296, 320, 344, 368) sts:

257 (289, 313, 337, 361) sts + 7 steek sts]. Work Rows 22-40 of Yoke Chart. Rnd 41: Work across steek; changing color as in Yoke Chart, knit and inc 2 (0, 0, 6, 6) sts evenly across rnd (266 (296, 320, 350,

374) sts; 259 (289, 313, 343, 367) sts + 7 steek sts] Work nows 42-48 of Yoke Chart.

TO SAVE TIME, TAKE TIME TO CHECK Rnd 47: With D, work across steek, knit and inc 2 (0, 4, 2, 2) sts evenly across md

[268 (296, 324, 352, 378) sts; 261 (289, 317, 345, 369) sts + 7 steek stsl. Work Rows 48-50 of Yoke Chart.

Divide for Body and Sleeves Rnd 51: With B. work across steek, k36 (41, 45, 50, 54) for Left Front, place next 56 (60, 66, 70, 74) sts on holder for Sleeve, k76 (86, 94, 104, 112) for Back, place next 56 (60, 66, 70, 74) sts on holder for Sleeve, k37 (42, 46, 51, 55) for Right Front [156 (176, 192, 212, 228) sts rem;

149 (169, 185, 205, 221) sts for Body + 7 Work Bows 52-61 of Yoke Chart. Note: There are separate charts for sizes S (1X,

2X) and M (L). Cut all varns except MC.

Change to smaller circ needle. With MC, work even in St st, working across steek sts as before, until Body

measures 14" from divide Dec rnd: Work across steek, knit end dec 13 (13, 13, 17, 17) sts eventy across rnd [143 (163, 179, 195, 211) sts; 136 (156, 172, 188, 204) sts + 7 steek stsl.

Next rnd: Work across steek, [k2, p2] around

Rep last rnd until Hem measures 2". Bind off in patt.

SLEEVES

With RS facing, distribute held Sleeve sts onto larger dpns. pm for beg of rnd. Join to work in the md, being careful not to twist [56 (60, 66, 70, 74) sts] Work Rows 51-61 of Yoke Chart, working

the 8-st rep of M (L) chart. Note: Rnds will not end exactly at the end of a chart pattern repeat. To center pattern on Sleeve. bec S with first st of rep. M with 7th st. L. and 2X with 8th st. and 1X with 6th st. Cut all yarns except MC Change to smaller dons.

With MC, knit 2 rnds


Dec rnd: K1, k2tog, knit to lest 3 sts, ssk, k1 [54 (58, 64, 68, 72) sts] Rep Dec Rnd every 18 (12, 8, 8, 6) rnds 3

(5. 8. 8. 10) more times (48. 48. 48. 52. 52) sts remi Work even in St st until piece measures

14" from divide. Change to larger dpn Rnd 1: K0 (0, 0, 2, 2), work Row 1 of

Sleeve Chart to last 0 (0, 0, 2, 2) sts, k0 (0, Rep last ma's more times, working next row of Sleeve Chart in each rnd and working the beg and end knit sts in same color as first st of current row of chart. Change to smaller dons. With MC, knlt 4 rnds. Cut MC YOKE CHART Cuff Rnd 1: With A. *k2, p2; rep from * to Sizes S Rep Rnd 1 for 2". (1X, 2X): 58 Sizes S Bind off in patt 57 Sizes multiple of (1X, 2X) 56 M (L) 8 sts + 5 FINISHING Sizes M (L) Reinforce and cut steek. multiple of **Buttonhole Band** 53 8 sts + 1 With RS facing, smaller circ ndl and 52 A, pick up and k152 sts evenly across 51 (Inc Rnd) Right Front opening. 50 Buttonhole row (WS): K1, p2, 49 multiple of 4 sts +1 *k2tag, vo. [p2, k2] 3 times, p2; rep 48 from * 8 more times, k2tog, yo, p2, k1 47 (Inc Bnd) [10 buttonholes]. 4R Row 2: P1, [k2, p2] to last 3 sts, k2, p1. nultiple of 6 sts +1 Row 3: K1, [p2, k2] to last 3 sts, p2, 43 42 k1. 41 (Inc Rnd) Row 4: Rep Row 2. 40 Bind off in patt. 39 **Button Band** 38 With RS facing, smaller circ ndl and A, pick up and k152 sts evenly across 36 Left Front opening. 35 KEY Row 1 (WS): K1, [p2, k2] to last 3 34 sts. p2, k1. 33 #1002 Cream (MC) Row 2: P1, [k2, p2] to last 3 sts, k2, #1019 Navy (A) p1. #1017 Azure (B) multiple of 8 sts +1 Rows 3 and 4: Rep Rows 1 and 2. 30 #1002 Baby Blue (C) Bind off in patt 29 #1022 Bittersweet (D) Using varn needle, tack edges of 28 steek to WS. Weave in ends. Sew buttons opposite buttonholes. 26 25 24 23 22 21 (Inc Bnd) 18 multiple of 9 16 15 14 13 (Inc Rnd) 12 SLEEVE 10 multiple of 6 sts +1 8 (Inc Rnd) multiple of 3 sts +1

8-st rep



13 Felicity Vest



SIZES

Women's S (M, L, 1X)

- FINISHED MEASUREMENTS
- Bust 38 (42, 46, 50)* Length 20½ (21, 22½, 23)*
- MATERIALS 7 (8, 10, 11) (50g; 102yd) hanks Plymou Yarn Baby Alpaca Worsted (100% baby
 - alpaca) color #1645 Teal
- · Size 6 US (4 mm) 36" circular needle OR SIZE TO OBTAIN GAUGE
- · Size 8 US (4 mm) 16" circular needle · 1 clasp: JHB International #1054 Orbit. antique silver
- · Stitch markers, stitch holders, cable needle. vam needle

GAUGE

 20 sts x 26 rows = 4" in St st TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

Design by Diane Zangl

Project features Plymouth Yarn Baby Alpaca Worsted

Skill Level: Intermediate Yarn Weight: #4

DESIGNER NOTES

- · Lower portion of body is worked in St st. Diagonal pockets are worked with body.
- Textured yoke is worked using twisted sts that form an elongated honeycomb patt. · All edges are finished in 1x1 twisted rib-
- bing. The small shawl collar begins at the V-neck shaping. Neck and underarm decs are worked 1 st in from the edge.
- · If a complete 2-st cable cannot be completed when working underarm and neck shaping, work those sts as stockinette.

STITCH GLOSSARY

1/1 FC: SI 1 st to on and hold in front, k1, k1 from on 1/1 FPC: SI 1 st to on and hold in front, p1.

k1 from on. 1/1 BPC: SI 1 st to cn end hold in back, k1,

p1 from on 1x1 Twisted Rib (over odd number of sts)

Row 1 (RS): K1-tbl, *p1-tbl, k1-tbl; rep from * across Row 2: P1-tbl. *k1-tbl. p1-tbl: rep from *

Rep Rows 1 and 2 for 1x1 Twisted rib.

Honeycomb Cable Pattern (multiple of 4 sts)

Rows 1, 3, and 5 (RS): P1, *1/1 FC, p2; rep from * to last 3 sts, 1/1 FC, p1,

Rows 2, 4, and 6: K1, p2, *k2, p2; rep from * to last st. k1. Row 7: *1/1 BPC, 1/1 FPC; rep from *

Rows 8, 10, 12, and 14: P1, k2, *p2, k2; rep from * to last st, p1

Rows 9, 11, and 13: K1, *p2, 1/1 FC; rep.

from * to last 3 sts, p2, k1.

Row 15: *1/1 FPC, 1/1 BPC; rep from * anmes Row 16: Rep Row 2.

Rep Rows 1-16 for Honeycomb Cable patt.

INSTRUCTIONS

POCKET LININGS (make 2) CO 36 sts. Work even in St st for 4"; end with a WS row. Cut yarn and place on hold-

With longer ndl, CO 185 (205, 225, 245) sts. Work even in 1x1 Twisted rib for 11/2": end with a WS row

Change to St st and work even until body measures 51/2" from beg; end with a WS row. Cut yarn. Place 36 sts at each end on holder. These will be right and left pockets.

Join Pocket Linings With RS of all pieces facing, place pocket lining sts on ndl with 1 lining at each end. With RS facing, join yarn and knit across all

sts [185 (205, 225, 245) sts]. Work even until body measures 91/2" from beg; end with a WS row. Place all body sts

on third holder. Shape Right Pocket SI sts from right pocket holder onto shorter

LH ndl. With RS facing, join yarn at front edge.

Knit 1 row, purl 1 row. Dec row (RS): Krit to last 3 sts, k2tog, k1. Purl 1 row.

Rep last 4 rows 5 times more [30 sts]. Work even until pocket length measures same as body; end with a WS row. Place sts back on holder #1.

Shane Left Pocket

Si sts from left pocket holder onto shorter LH ndl. With RS facing, join yarn at pocket opening edge

Knit 1 row, purl 1 row. Dec row (RS): K1, ssk, knit to end of row.

Purl 1 row. Rep last 4 rows 5 times more [30 sts]. Work even until pocket length measures same as body; end with a WS row. Place sts

back on holder #2. Join Pockets to Body Place body sts on longer ndl. Place sts of right pocket on shorter ndl and hold in front

of body sts Next row (RS): K2tog 30 times (one st each of pocket and body), knit to last 30 sts. Place sts of left pocket on shorter ndl and hold in front of body sts. k2tog as for right pocket

[185 (205, 225, 245) sts]. Work even in St st until body measures 12 (12, 13, 13)" from beg, inc 3 sts on last WS row [188 (208, 228, 248) sts]. Pm 46 (51, 56, 61) sts in from each end. You will have 96 (106, 116, 126) sts for back and 46 (51,

56. 61) sts for each front. Establish Yoke Pattern

Work Rows 1 and 2 of Honeycomb patt. Row 3: Work Row 3 of Honeycomb patt, dec 1 st at each end [186 (206, 226, 246) atal.

Rows 4-6: Work even in nattern as establighed

Divide for Fronts and Back Row 7: Dec 1 st, work to 15 (18, 20, 23) sts before first marker. Place 29 (31, 34, 36) sts ust worked on holder for right front, BO 30 (36, 40, 46) sts for right underarm, work to 15 (18, 20, 23) sts before second marker, place 66 (70, 76, 80) sts just worked on second holder for back. BO 30 (36, 40, 46) sts for left underarm, work in pattern as established to end of row, dec 1 st at front edge [29 (31, 34, 36) sts].

LEFT FRONT Working in pattern as established on left front only, dec 1 st at front edge alternating

19, 20) sts rem. Work even until armhole measures 61/2 (7, 71/2, 8)" above BO underarm sts: end with a BS row.

Shane shoulder BO at arm edge 6 (6, 6, 7) sts twice, then 5

(6, 7, 6) sts once.

RIGHT FRONT SI sts from first holder to ndl. With WS facing, join yarn at underarm. Work as for Left Front, reversing shaping.

RACK

SI sts from second holder to ndl. With WS facing, join yarn at underarm. Work even until armhole measures same as for Front; end with a WS row.

Shape Back Neck and Shoulders Place a marker on each side of center 26 (28 32 34) etc.

Next row (RS): Work in established patt to first marker, join second ball of yarn and BO sts between markers, work in established natt to end of row (20 (21, 22, 23) sts on each side of neck!

Working on both sides of neck with separate balls of yarn, dec 1 st at each neck edge 3 times, while at the same time, bind off at each arm edge 6 (6, 6, 7) sts twice, then 5 (6, 7, 6) sts once.

FINISHING Saw elevated ar sparma

Front Bands and Collar

Place 4 merkers: 1 at each shoulder seam and in first neck dec st at each front edge. With RS facing, ion vam at lower right front edge. Pick up and knit around entire front edge and neck as follows, going through both layers of pocket and lining:

A) 3 sts for every 4 rows along right front edge to neck dec marker. Remove marker from dec and place on RH ndl; you must have an even number of sts. Record this number.

R) Pick up and knit 1 st in each row to right shoulder marker; you must have an even number of sts. Record this number. Remove shoulder marker

C) Pick up and knit 1 st in each st or row around back neck to left shoulder marker; you must have an odd number of sts. Remove shoulder marker.

D) Pick up and knit same number of sts B. Remover marker from dec and place on RH

E) Pick up and knit same number of sts as for A

Row 1 (WS); SI 1 puriwise, *k1-tbl, p1-tbl; rep from * to end of row Row 2: Si 1 knitwise, *p1-tbl, k1-tbl; rep from " to end of row.

Rep Rows 1 and 2 until band measures 11/4"; end with e WS row. Shape Collar

Next 2 rows: Bind off in patt to marker, work in pattern as established to end of row/

BO 4 sts in patt at beg of next 12 rows. BO rem sts in patt Pocket Bands

Sew free edges of pocket linings to Inside of body. With RS facing, pick up and k27 sts along shaped edge of pocket opening. Row 1 (WS): P1-tbl, "k1-tbl, p1-tbl; rep from " to end of row.


Row 2: K1-tbl, *p1-tbl, k1-tbl; rep from * to end of row. [Ren Bows 1 and 2] twice. Rep Bow 1.

BO in patt. Sew ends of band to body. Armhole Bands Sew shoulder seams. With RS facing and shorter ndl, beg at center of underarm, pick up and knit 1 st in each BO underarm st, 3

sts for every 4 rows around underarm, then 1 st for every rem BO underarm st. Adjust, if necessary, to an even number of sts. Pm between first and last st. Ribbing Rnd; *K1-tbl, p1-tbl; rep from *

around. Rep last rnd until band measures 1° BO in

Weave in ends. Sew clasp to front edges at beg of voke patt.





14 Twister Scarf



FINISHED MEASUREMENTS · Length 52"

· Width 5" MATERIALS

 1 (100g; 33yd) ball Premier Yarns Starbeile (100% acrylic) color #0008 Canyon Sunrise Design by Premier Yarns Design Team Project features Premier Yarns Starbella and Starbella Flirt

Skill Level: Easy Yarn Weight: #6

· 1 (40g: 24vd) ball Premier Yarns BO all sts with A Starbella Flirt (65% polyester, 35% acrylic)

color #5006 Moscow (B) · Size 7 US (4.5 mm) knitting needles · Yarn needle, sewing needle and matching

thread (optional) GALIGE

· Gauge is not critical for this project.

INSTRUCTIONS SCARE

With A. CO 96 sts as follows: Pull out a length of yarn and insert RH ndl into each loop along top edge (edge without a thick ribbon) working from back to front.

Rows 1 and 2: With A. "insert RH ndt into first loop on LH ndl, insert RH nd into next loop along top edge of ribbon from back to front, pull loop through and slide st on LH nd

off: rep from " to end. Cut A. Rows 3-8: Join B, work 1 st in every other loop along top edge in the same manner as

Rows 9 and 10: Join A. ren Bow 3 twice.



Trim and weave in ends. If desired, use

sewing needle and thread to tack down raw

edges of Starbella and Starbella Flirt,

15 Angel Cardi



· Women's XS (S. M. L. 1X) FINISHED MEASUREMENTS Bust 34 (37%, 41%, 45, 48%)* Length tats (19, 10%, 2cts, 21%); Design by Therese Chynoweth

Project features Bijou Basin Ranch Seraphim

Skill Level: Intermediate

Yarn Weight: #1

FINISHING

MATERIALS

· 3 (3, 4, 4, 4) (50g; 435yd) balls Bijou Basin Ranch Seraphim (95% angora. 5% viscose) color #28 Denim

 Size 4 US (3.5 mm) circular needle 29* bng OR SIZE TO OBTAIN GAUGE

Size 4 US (3.5 mm) double-pointed nee-· Stitch markers, stitch holders, two very small buttons, four 11/2" buttons, varn

neerle GAUGE

· 24 sts x 34 rows = 4" in St st 24 sts x 30 mds = 4" in Vine Lace pattern

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

DESIGNER NOTES

· When working the Vine Lace Pattern in the sleeve caps, make sure all yarn overs can be worked with their accompanving decreases. If a varn over cannot be worker with its accompanying decrease.

work that st in Stockinette

STITCH GLOSSARY

FEATHER & FAN VARIATION (multiple of 11 sts + 81 Rows 1, 3 and 5 (RS): (K1-tbl, p1) twice, (k2tog) twice, (yo, k1) 3 times, yo, (ssk) twice; rep from * to last 4 sts, (p1, k1-tbl)

Rows 2 and 4 (WS): (P1-tbl, k1) twice. purl to last 4 sts, (k1, p1-tbl) twice. Row 6: (P1-tbl, k1) twice, knit to last 4 sts.

(k1, p1-tbl) twice Rows 7 and 9: (K1-tbl. p1) twice, knit to last 4 sts, (p1, k1-tbl) twice Rows 8 and 10: Rep Row 2,

VINE LACE PATTERN (multiple of 9 sts +

Rnd 1: K1, *k1, yo, k2, ssk, k2tog, k2, yo: rep from * to last st. k1. Rnds 2 and 4: Knit Red 3: K1. No. 12 salt, 12log, 12, 10, 11; rep from * to last st. k1.

Rep Rnds 1-4 for Vine Lace patt. Note: To continue Vine Lace patt in rows for Sleeve cap, purl WS rows.

Wrap and Turn (w&t)

(RS) Yam forward (to the purl position), slip the next st to the RH ndl, vam back (to the knit position), return the slipped st (which is now wrapped), to the LH ndl; turn, leaving

the remaining sts unworked. (WS) Yarn back (to the knit position), slip

the next st to the RH ndl, vam forward (to the puri position), return the slipped st (which is now wrapped), to the LH ndl; turn, leaving the remaining sts unworked.

INSTRUCTIONS BODY

With circ ndl. CO 206 (228, 250, 272, 294)

sts. Work back and forth in rows. Row 1 (RS): (K1-tbl, p1) twice, knit to last 4 sts. (p1, k1-tbl) twice.

Row 2: (P1-tbl. k1) twice, purl to last 4 sts. (k1, p1-tbl) twice.

Work Rows 1-10 of Feather & Fan Variation, then work Rows 1-6 once more. Next row (RS): Work first 4 sts as established, k50 (55, 60, 65, 70), pm, k98 (110,

122, 134, 146), pm, knit to last 4 sts, work last 4 sts at established. Keeping first and last 4 sts in rib as established continue St st over rem sts until

piece measures 9½ (9½, 9¾, 10. 10½)* from beg: end with a WS row.

Shape Front Neck

Work 4 sts as established, k2tog, knit to last 6 sts, ssk, work last 4 sts as established [2 sts decreased).

Continue dec at neck edge every RS row 16 (17, 17, 18, 19) more times, then every 4th row 7 (7, 8, 8, 8) times. At the same time, when piece measures 101/2 (10%, 11, 111/4,

1134)* from beg; end with a WS row.

Shepe Armholes Next row (RS): Work to 3 (4, 5, 6, 8) sts

before first marker for Right Front, BO next 8 (8 10 12 16) sts for armhole, knit to 3 (4, 5, 6, 8) sts before next marker for Back, BO next 6 (8, 10, 12, 16) sts for armhole, then work to end for Left Front. Work each section separately.

Left Front

Continue neck shaping as established end BO et beg of RS rows 3 sts 1 (1, 1, 2, 2) tme(s), 2 sts 2 (2, 3, 2, 3) tmes, then 1 st 3 (4, 4, 5, 4) times-18 (20, 21, 22, 23) sts rem when all shaping is complete. Work even until armhole measures 7¼ (7½, 8, 81/2, 9)"; end with a RS row.

Shape Shoulder Short Row Set 1: Work 15 (16, 16, 17, 18)

sts wAt, work back to neck edge Short Row Set 2: Work 11 (12, 12, 13, 13) sts, w&t, work back to neck edge

Short Row Set 3: Work 8 sts. w&t, work back to neck edge

Short Row Set 4: Work 4 sts. w&t. work back to neck edge. Place 4 rib sts on very small holder, and rem 14 (16, 17, 18, 19) sts on a small holder.

Right Front

Continue neck shaping as established and BO at beg of WS rows 3 sts 1 (1, 1, 2, 2) time(s), 2 sts 2 (2, 3, 2, 3) times, then 1 st 3 (4, 4, 5, 4) times-18 (20, 21, 22, 23) sts rem when all shaping is complete. Work even until armhole measures 71/4 (71/5, 8, 81/2, 9)"; end with a WS row.

Shape Shoulder Short-Row Set 1: Work 15 (16, 16, 17, 18)

sts, wAt, work back to neck edge. Short-Row Set 2: Work 11 (12, 12, 13, 13) sts, w&t, work back to neck edge.

Short-Row Set 3: Work 8 sts, w&t, work back to neck edge.

Short Row Set 4: Work 4 sts, w&t, work back to neck edge. Place 4 rlb sts on very small holder, and rem 14 (16, 17, 18, 19) sts on a small holder.

BACK

w81.

Continue in St st and BO 3 sts at beg of next 2 (2, 2, 4, 4) rows, 2 sts at beg of next 4 (4, 6, 4, 6) rows. Dec 1 st et each end every RS row 2 (3, 3, 4, 3) times [74 (82, 88, 94, 100) stsl.

Work even until armhole measures 71/4 (7½, 8, 8½, 9)"; end with a WS row Shape Neck end Shoulders Next row: K20 (22, 23, 24, 25), join a sec-

ond ball of yarn and BO next 34 (38, 42, 46, 50) sts for neck, k17 (18, 18, 19, 20),

Work both sides at same time with separate balls of yarn. Next row: Purl to neck edge; other side,

BO 4 sts. p to last 3 (4, 5, 5, 5) sts, w&t. Next row: Knit to neck edge: other side, BO 4 sts, k9 (10, 10, 11, 11), w&t. Next row: Purl to neck edge; other side,

BQ 2 sts. p4, w&t Next row: Knit to neck; other side, BO 2 ete k4 w&t

Next row: Purl to neck edge. Place rem 14 (16, 17, 18, 19) sts for each shoulder on small at holders.

SI FEVES

With double-pointed needles, CO 65 (74, 83, 92, 101) sts. Pm for beg of rnd and join to work in the rnd, being careful not to twist

oto Rnd 1: Knit.

Reg Vine Lace patt and work even until piece measures 11 (111/4, 111/2, 113/4, 12)* from beg, ending with an even-numbered rnd. and end last rnd 3 (4, 5, 6, 8) sts before end of md.







BO next 6 (8, 10, 12, 16) sts for underarm, then work in pattern to end [59 (66, 73, 90, 85) sts]. Beg working back and forth in rows.

Shape Cap

Continue pattern as established and BO 3 sts at beg of next 2 (2, 2, 4, 4) rows, 2 sts at beg of next 4 (4, 6, 4, 6) rows. Dec 1 st each end every HS row 12 (14, 14, 15, 15) times. BO 2 sts at beg of next 2 rows, then 3 sts at beg of next 2 rows. BO rem 11 (14, 17, 20, 21) sts.

FINISHING

Join shoulders using 3-Needle bind-off. Back Neckband

State vectorial to the state of the state of

neckband to match.
Placing sts for both halves of neckband on dons, gridt sts tog using Kitchener st. Sew to back neck edge. Weave in ends. Block to measurements. Sew button to left front opposite buttonlothole. Sew in Sleeves.



11-st rep



KEY

- ☐ K on RS, P on WS ● P on RS, K on WS
- ☑ Yo ☑ K2tog
- Ssk
 K1-tbl on BS. P1-tbl on WS.
- Repeat



16 Heritage Shawl



FINISHED MEASUREMENTS

- Length (from back neck to lower edge) 20°
 Diameter 40°
- Width (at base of one triangle) 30" MATERIALS
- 1 (250g; 1093yd) cone AC Wood/Knitglobal

Design by Cynthia Yanok

Project features AC Wood/Knitglobal Heritage Alpaca

Skill Level: Easy Yarn Weight: #1

Heritage Alpaca (100% superfine alpaca) color Rose • Size 8 US (5mm) 60° or longer circular

needle OR SIZE TO OBTAIN GAUGE

24 stitch markers, yarn needle
GAUGE

16 sts x 24 rows = 4" in St st
TO SAVE TIME, TAKE TIME TO CHECK
GAUGE.

LACE PANEL (multiple of 23 sts)
Row 1 (RS): K8, k2tog, yo, k1, p1, k1, yo, ssk k8

Row 2: P7, p2tog-tbl, p2, yo, k1, yo, p2, p2tog, p7. Row 3: K6, k2tog, k1, yo, k2, p1, k2, yo,

Row 4: P5, p2tog-tbl, p3, yo, p1, k1, p1, yo, p3, p2tog. p5. Row 5: K4, k2tog, k2, yo, k3, p1, k3, yo, k2 ssk k4.

Row 6: P3, p2tog-tbl, p4, yo, p2, k1, p2, yo, p4, p2tog, p3.

Row 7: K2, k2tog, k3, yo, k4, p1, k4, yo, k3, ssk, k2.

Row 8: P1, p2tog-tbl, p5, yo, p3, k1, p3, yo, p5, p2tog, p1.

Row 9: K2log, k4, yo, k5, p1, k5, yo, k4, ssk. Row 10: P11, k1, p11,

Row 11: K11, p1, k11. Row 12: P11, k1, p11. Rep Rows 1–12 for Lace Panel patt.

DESIGNER NOTES

- Circular needle is used to accommodate large number of sts. Work back and forth in rows as if working with straight needles.
- Work can begin using a shorter circular needle, changing to longer needle or multiple longer needles as needed.

INSTRUCTIONS

CO 14 sts. Rows 1-3: Knit.

Row 4 (RS): "K2, pm, yo, pm; rep from " to last 2 sts, k2 [20 sts]. Row 5: "K2, sm, p to m, sm; rep from " to last 2 sts, k2. Row 8: 'K2, sm, yo, k to m, yo, sm; rep from * to last 2 sts, k2 [32 sts]. Rows 7-28: Rep last 2 rows 11 times [184 stel

Row 29: Rep Row 5.

Establish Pattern

Row 1 (RS): "K2, sm, vo, k1, pm, work Row 1 of Lace Panel patt, pm, k1, yo, sm; rep from * to last 2 sts, k2 [176 sts]. Row 2: *K2, sm, p2, sm, work Row 2 of

Lace Panel patt, sm. p2, sm; rep from * to last 2 sts, k2. Row 3: *K2, sm, yo, k to m, sm, work Row

3 of Lace Panel patt, sm, k to m, yo, sm; rep from * to last 2 sts, k2 [188 sts]. Continue in pattern as established until 60 rows of Lace Panel patt (5 pattern repeats)

have been completed [524 sts]. Next row (RS): 'K2, sm, vo, fk to m, remove m] twice, k to m, yo, sm; rep from * to last 2 sts, k2 [536 sts].

Next row: 'K2, sm, p to m, sm; rep from " to last 2 sts, k2.

Next row: "K2, sm, yo, k to m, yo, sm; rep from * to last 2 sts, k2 [548 sts]. Rep last 2 rows for 41/2"; end with a WS Eyelets

Row 1 (RS); [K2, sm, vo, k2, "yo, k2tog; ren from " to 1 st before marker, k1, yo, sm) 6 times, k2.

Row 2: Knit. Rows 3 and 4: Rep Rows 1 and 2.

FINISHING

Weave in all ends, Lightly block the Shawl.





KEY ☐ Kon BS Pon WS P on RS, K on WS K2tog on RS, P2tog on WS Ssk on RS, P2tog tbl on WS Pattern repeat

17 Petal Hat & Mitts



FINISHED MEASUREMENTS

Hat: 181/2" circumference Mittens: 10 (101/s)"

MATERIALS 2 (113g; 190yd) skeins Brown Sheep Company Lamb's Pride Worsted (85% wool,

15% mohair) color #M83 Raspberry (MC) 1 (113g, 190yd) skein Brown Sheep Company Lamb's Pride Worsted (85% wool,

Design by Diane Zangl Project features Brown Sheep Company Lamb's Pride Worsted Skill Level: Intermediate Yarn Weight: #4

15% mohair) color #M10 Creme (A) · 1 (113g; 190yd) skein Brown Sheep Company Lamb's Pride Worsted (85% wool, 15% mohair) color #M03 Gray Heather (B)

 1 (113g; 190yd) skein Brown Sheep Company Lamb's Pride Worsted (85% wool, 15% mohair) color #M06 Deep

Charcoal (C) Size 6 US (4 mm) 16" circular needle OR SIZE TO OBTAIN GALIGE

Size 6 US (4 mm) double-pointed needles Stitch markers, stitch holders, vam needle

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

 22 sts x 21 mds = 4" in St st. DESIGNER NOTES

· Carry color not in use loosely across WS especially in thumb area.

STITCH GLOSSARY M1-L: Purl into purl-bump of previous md on

M1-R: Purl Into purl-bump of previous rnd on LH ndl.

1x1 TWISTED RIB All Rnds: "K1-tbl, p1; rep from " around.

HAT INSTRUCTIONS With MC and circular ndl. CO 90 sts. Pm for beg of rnd, Join to work in the rnd, being careful not to twist, Pm in first st for center

back of Hat. Work in 1x1 Twisted Rib for 7 mds, inc 8 sts

eventy on last md [98 sts]. Change to St st (k every rnd). Work even in Chart A patt for 36 mds Knit 8

Shape Crown Change to don dividing sts as follows: 25 sts each on ndis #1 and #3, 24 sts each on ndis

#2 and #4 Rnd 1: K2tog around [49 sts].

Rnds 2 and 3; Knit.

mrds with MC only.

Rnd 4: K1, *k2tog; rep from * to end of rnd Rnds 5-8: Rep Rnds 3 and 4 twice [7 sts].

Rnd 9: K2tog, k3tog, k2tog [3 sts],

I-Cord Loops Using 2 dpn only, "k3, sl sts back to LH ndl; rep from * until cord measures 3*. Pick up and knit 3 sts at center top of hat. [K2tog] 3 times (1 st of cord with 1 picked-up st)**. Rep from * to **5 more times, varying length of cords and joining each loop next to previous one just made. Cut yarn after making last

loop, pull to inside, and fasten off.

Earflaps

With RS of lower edge facing, sk first 11 sts.

following center back of Hat (marked). With MC, pick up and k1 st in each of next 16 sts. Rows 1-15: *SI 1, knit to end of row. Shape End

Shape End
Dec row: SI 1, k2tog, knit to end of row.
Rep Dec row until 3 sts rem.

I-Cord Ties
"K3, si sts back to LH ndl; rep from " until tie
measures 6". K3tog, fasten off last st. Cut
varn and weave end inside cord.

With RS of lower edge facing, sk next 35 sts following first earliap (for front of Hat). With MC, pick up and k1 st in each of next 16 sts. Complete second earliap same as first.

FINISHING Weave in ends.

MITTENS

RIGHT MITTEN
With MC and dpns, CO 36 (42) sts. Pm for

beg of rnd. Join to work in the rnd, being careful not to twist.

Work in 1x1 Twisted rib for 2 (2½)*, inc 4 sts on last rnd [40 (46) sts]. Divide sts as follows: 14 (14) sts on ndl #1, 14 (16) sts on ndl

#2, and 12 (16) sts on ndl #3. Establish Pattern and Shape Thumb Gusset

Change to St st.

Next rnd: Work Row 2 of Chart A over 14
sts, k3 MC, pm, k3 MC, pm, *k3 MC, k3 C;

rep from * to last 2 sts, k2 MC. Inc rnd: Work Chart A over 14 sts, k3 MC, sm, M1L, k3 MC, M1R, sm, *k3 MC, k3 C; rep from * to last 2 sts. k2 MC.

Keeping sts between thumb markers in MC and rem sts in patt as established, inc 1 st after first and before second thumb markers EOR 4 times more [13 sts between mark-

Next md: Work Chart A across first ndl, k3 MC, sl 13 sts between markers to holder for thumb, remove markers, CO 3 C-colored sts, work in patt as established to end of md. Begin Hand

Work even in patt as established until rem 34 mds of Chart A have been completed.

Shape Top of Hand SI 2 (4) sts from ndl #3 to ndl #1, and 3 (5) sts from ndl #2 to ndl #1 [19 (23) sts on ndl #1, 11 (11) sts on ndl #2; and 10 (12) sts on

Dec rnd: Ndl #1: work Chart B; ndl #2: ssk, work established stripe patt to end of ndl; ndl #3: work established stripe patt to last 2 sts, k2tog.

Rep Dec and Even rnds as shown on Chart

B, keeping ndl if1 in chart patt and rem ndls in established stripe patt (dec in every md) [16 sts]. Cut yarn, leaving a 12" end. Wesve top of mitten log using Kitchener st. Thumb

SI sts from holder onto 2 dpn, having 6 sts on ndl #1 and 7 sts on ndl #2. With third ndl, pick up 6 sts along CO edge of thumb opening, Join MC and kmit 1 md dec 3 sts on ndl #3 to close gap at each end [16 sts]. Work even in SI st until thumb measures 2¹/₄ (2¹/₄)* shove picked-up sts.

Shape Thumb Top Dec rnd: K2tog around [8 sts]. Rep Dec rnd once [4 sts]. Cut yarn and draw

through rem sts twice.

LEFT MITTEN

Work cuff and inc rnd as for Right Mitt.

Divide sts as follows: 12 (16) sts on ndl #1, 14 (16) sts on ndl #2, and 14 (14) sts on ndl

Establish Pattern and Shape Thumb Gusset Change to St st.


Next rind: [K3 MC, k3 C] 3 (4) times, [k3 MC, pm] twice, k2 MC, work Row 2 of Chart A over 14 sts. Keecing to patt as established, work as for

Right Mitt, inc between markers for thumb and shaping top of hand. When shaping top of hand, si extra sts to ndl #3 instead of ndl #1. Work thumb as for Right Mitt.

FINISHING Weave in ends







KEY

18 Hooded Cowl



FINISHED MEASUREMENTS

- Circumference 44", at widest MATERIALS
- · 12 (50g; 27yd) balls Schachenmayr select Coralita (50% wool, 50% polyamide) color #04902 Midnight
- Size 19 US (15 mm) 32" circular needle OR
- SIZE TO OBTAIN GAUGE · Stitch markers, stitch holders, cable nee-
- dle, yarn needle GAUGE
- 6 sts x 9 rows/rnds = 4" in pattern. TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

DESIGNER NOTE

 Piece is worked in rnds beg at lower edge. At front neck, piece is divided and worked back and forth in rows to form hood.

STITCH GLOSSARY

k1b (knit 1 below) Insert RH needle through

Project features Schachenmayr select Coralita

Skill Level: Easy

Yarn Weight: #6

center of st in row/md below and knit a new st: drop original st from LH needle.

MAIN PATTERN WORKED IN RNDS (multiple of 3 sts1

Rnd 1: *P1, k1, p1: rep from * around. Rnd 2: "P1, k1b, p1; rep from " around. Rep these 2 mds for Main patt worked in mds.

MAIN PATTERN WORKED IN ROWS (multiple of 3 sts) Row 1 (WS): *K1, p1, k1; rep from *

Row 2: "P1, k1b, p1; rep from " across. Rep these 2 rows for Main patt worked in rows.

INSTRUCTIONS

CO 66 sts. Pm for beg of rnd. Join to work in the md, being careful not to twist. Work in Main patt worked in rnds until

piece measures about 151/4" from beg; end with a Rnd 2. Front Opening Next row: Work in Main patt worked in

rnds as established over first 24 sts, BO next 15 sts (first bound-off st is a 2nd purl st), work in Main patt to end of rnd (51 sts). Cut yarn. With RS facing rejoin yarn at beg of rnd. Work in Main patt worked in rows beg with a RS row and work first and last st inside selvage sts as k1b, until piece mea-

sures 19" from beg; end with a WS row. Shape Hood Row 1 (RS); Work in Main patt as established over first 23 sts. p2tog, k1b, p2tog.

work in patt to end of row [49 sts] Row 2: Work in patt as established to end

Row 3: Work in patt over first 23 sts, sl



of row Rows 5-8: Rep Rows 1-4 [43 sts]. Rows 9-11: Rep Rows 1-3 [39 sts].

Row 12: Work in patt to center 5 sts. k2tog, p1, k2tog, work in patt to end of row

Row 13: Work in patt to center 3 sts. remove marker, dec 2 sts as on Row 3, work in patt to end of row [35 sts] Rows 14-21: Rep last 2 rows 4 more

times [19 sts rem] Row 22: P8, p2tog, p9 [18 sts]. SI 9 sts each to 2 separate needles and graft live sts with Kitchener stitch.

FINISHING

Pin piece to measurements and block with damp towels. Cut 2 strands of varn each strand about 71" long and make a twisted cord. Beg and end at center front about 93/4" up from lower edge, thread cord behind each k1b stitch. Tie ends into a how





19 That's a Wrap Cowl



Skill I evel: Intermediate

Project features Berroco Ultra Alpaca Light Yarn Weight: #2

INSTRUCTIONS CO 52 sts.

twice, p6, k1,

twice, p6, k1.

twice, p6, k1,

k5] twice, p2, k7.

k31 twice, p2, k7,

Design by Sandi Prosser

LC, p1, yo, k2] twice, p2, 6-st LC, k1.

Row 7; K1, 6-st LC, In2, k2, k2ton, p1, 6-st

Row 9: K7, [p2, k1, k2tog, p1, k6, p1, yo,

Row 10: K1, p6, k2, [p6, k1, p8, k1, p2, k2]

LC, p1, yo, k4] twice, p2, 6-st LC, k1. Row 8: K1, p6, k2, [p5, k1, p6, k1, p3, k2]

LC, p1, ssk, k2] twice, p2, 6-st LC, k1. Row 20: Rep Row 4.

Row 1 (RS): K7, [p2, k5, k2tog, p1, k6, p1, Row 21: K7, [p2, k5, yo, p1, k6, p1, ssk, vo. k11 twice, p2, k7, k1] twice, n2, k7 Row 2: K1, p6, k2, [p2, k1, p6, k1, p6, k2] Row 22: Rep Row 2. twice, p6, k1. Row 23: K1, 6-st LC, [p2, k6, vo. p1, 6-st Row 3: K1, 6-st LC, [p2, k4, k2tog, p1, 6-st LC, p1, ssk] twice, p2, 6-st LC, k1.

Row 4: K1, p6, k2, [p3, k1, p6, k1, p5, k2] twice, p6, k1. Rep Rows 1-24 fourteen times. Row 5: K7, [p2, k3, k2tog, p1, k6, p1, yo, BO all sts in patt.

Row 6: K1, p6, k2, [p4, k1, p6, k1, p4, k2]

FINISHING Block to finished measurements, Sew CO

Row 24: K1, p6, k2, [p1, k1, p6, k1, p7, k2]

and BO edges tog. Weave in ends.

FINISHED MEASUREMENTS Width 7½°

Length 49*

MATERIALS · 3 (50g: 144vd) hanks Berroco Litra Alpaca

· Size 6 US (4 mm) knitting needles OR SIZE TO OBTAIN GAUGE

· Cable needle, yarn needle GAUGE

 28 ets x 29 mws – 4" TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

STITCH GLOSSARY 6-st LC: Si 3 sts to cn, hold to front, k3, k3 from cn.

twice, p6, k1, Row 11: K1, 6-st LC, [g2, k2ton, p1, 6-st Light (50% alpaca, 50% wool) color #4234 LC. pt. vp. k6l twice, n2, 6-st LC, k1. Cardinal

Row 12: K1, p6, k2, [p7, k1, p6, k1, p1, k2] twice, p6, k1, Row 13: K7, [p2, k1, yo, p1, k6, p1, ssk, k5] twice, p2, k7.

Row 14: Rep Row 10. Row 15: K1, 6-st LC, [p2, k2, vo. p1, 6-st LC. p1. ssk. k4l twice. p2. 6-st LC. k1. Row 16: Ren Row 8. Row 17: K7, [p2, k3, yo, p1, k6, p1, ssk,

k3] twice, p2, k7. Row 18: Rep Row 6 Row 19: K1, 6-st LC, [p2, k4, yo, p1, 6-st







20 Draped Panels Cardi



Design by Elizabeth Helmich Project features Willow Yarns Brook

Skill Level: Intermediate Yarn Weight: #4

Insert RH ndl into the wrap at the base of the wrapped st from beneath, then bring the RH ndl up and into the st on LH ndl, ready to work the st: knit (or purl) the wrap and the stitch together.

Wrap and Turn (w&t)

(RS) Yarn forward (to the purl position), slip the next st purlwise to the RH ndl, yarn back (to the knit position), return the slipped st (which is now wrapped), to the LH ndl; turn, leaving the remaining sts unworked.

(WS) Yarn back (to the knit position), slip the next st purlwise to the RH ndl, yarn forward (to the purl position), return the slipped st (which is now wrapped), to the LH ndl; turn, leaving the remaining sts unworked.

SEED STITCH WORKED IN ROWS (over an odd # of sts) Row 1: K1, *p1, k1; rep from * to end. Rep Row 1 for Seed st.

SEED STITCH WORKED IN RNDS (over an even # of sts) Rnd 1: "K1, p1; rep from " to end. Rnd 2: "P1, k1: rep from " to end.

Ren Rnds 1 and 2 for Seed st. WILDFLOWER KNOT (multiple of 8 sts +

Row 1 (RS): Knit.

Row 2: Puri Row 3: K5, *(p3tog, yo, p3tog) working in same 3 sts, k5; rep from * to end.

Rows 4-6: Work in St st for 3 rows. Row 7: K1, *(p3tog, yo, p3tog) working in same 3 sts. k5; rep from * to last 4 sts, (n3ton, vp. p3ton) working in same 3 sts.

Row 8: Purl. Rep Rows 1-8 for Wildflower Knot patt.

INSTRUCTIONS

BACK Using long tail method and smaller ndl, CO 75 (83, 91, 99, 107) sts.

Ben with a RS row, work in Seed at worked in rows until piece measures 31/2" from beg:

end with a WS row Establish Pattern Row 1 (RS): Work in Seed at over first 3 sts, pm, work in Wildflower Knot patt beg

with Row 1 to last 3 sts. pm. work in Seed st over last 3 sts Row 2: Work in Seed at to marker, am. work next row of Wildflower Knot patt to next marker, sm., work in Seed st to end.

edges, until piece measures 11 (12, 131/2, Work in part as established until piece mea-Work in Seed at as established until piece

sures 7" from beg; end with a WS row.

next marker, sm, work in St st to end.

Shape Armholes Note: As you work armholes, you will not

Next row: Purl.

RIGHT FRONT

work full reps of patt.

Shape Armhole

Row 5: Rep Row 3. Row 6: Work in patt as established to end,

141/s. 16)" from beg.

Change to smaller ndl.

side edge to beg of armhole.

pm, work in Seed at to end.

to last 2 sts, M1L, k2 [1 st inc'd].

1 to last 2 sts. M1L, k2 [1 st inc/d].

end of each row in St st. BO 4 (5, 5, 6, 6) sts at the beg of next 2

[63 (65, 69, 71, 77) sts].

rows [67 (73, 81, 87, 95) sts].

Next row: Work in St st over first 3 sts, sm,

work next row of Wildflower Knot patt to

Work in patt es established until piece measures 14" from beg; end with a WS

always be able to work e full rep of

Wildflower Knot patt. Keep in patt following

preceding rows and keep 3 sts at beg and

Next row (RS): K2, ssk, k to last 4 sts, k2tog, k2 [2 sts dec'd].

Rep last 2 rows 1 (3, 5, 7, 8) more time(s)

Work even in patt as established until arm-

Note: Fronts are knit sideways beg across

side edges of Back. As you beg Wildflower

Knot patt, you may not have enough sts to

work a full final rep; work extra sts in St st.

Once you have cast on ell sts, you will

With RS facing, larger needle and beg

across right edge of Back about 7" from

lower edge, pick up and k32 sts across

Row 1 (WS): P to last 5 (6, 4, 5, 6) sts,

Row 2: Work in Seed at to marker, sm, k

Row 3: P to marker, sm, work in Seed st to

Row 4: Work in Seed at to marker, am,

work in Wildflower Knot patt beg with Row

then using backward loop method CO 31 (33, 37, 39, 41) sts [65 (67, 71, 73, 75)

Row 7: Work in Seed at over first 7 (8. 6.

7, 8) sts. pm. work in Wildflower Knot patt

Work even in patt as established, with

Wildflower Knot patt between Seed st

to marker, sm. work in Seed at to end.

hole measures 7 (71/2, 8, 81/2, 9)". Place rem sts on holder for back neck.

SIZES

· Women's XS (S. M. L. 1X) FINISHED MEASUREMENTS

To Fit Bust 32 (36, 40, 44, 48)* Width (at widest) 46½ (50½, 55, 59, 64) Length (at longest) 27 (27½, 28, 28½, 29)"

from back neck, including collar MATERIALS · 6 (7, 8, 9, 9) (100g; 206yd) balls Willow

Yarns Brook (50% superwash wool, 50% acrylic) color #2 Fuchsia · Size 7 US (4.5 mm) 32° circular needle

Size 8 US (5 mm) 32" circular needle OR SIZE TO OBTAIN GAUGE

· Size 8 US (5 mm) double-pointed needles . 5 stitch markers in 3 colors (2 color A, 2 color B, and 1 color C), stitch holder, yern naedle

GAUGE 18 sts x 24 rows = 4" in St st and Wildflower Knot patt using lerger needle TO SAVE TIME, TAKE TIME TO CHECK GAUGE

DESIGNER NOTES

· Cardigan is worked in pieces, beg with the

· Fronts are picked up across sides of Back and worked out sideways.

· Sleeves are picked up and worked in rnds to the cuff. Shawl collar border is picked up and worked elong the top length of the Cardi.

STITCH GLOSSARY

Short-Row Shaping Work the number of sts indicated in the

instructions, w&t (wrap and tum). Work progressively longer rows as indicated in

the instructions. Work wraps together with wrapped sts as you come to them, as follows: measures 15 (16, 17½, 18½, 20)" from bec.

Using yarn needle and mattress st, sew tog 2 sts at the top of armhole connecting the back of the cardigan to the Right front at the shoulder. These sts will be invisible once you have picked up the sleeve sts and worked the border.

LEFT FRONT

BO in patt.

With RS facing, larger needle and beg across left edge of Back at underarm, pick up and k32 sts across side edge to about 7" above cast-on edge (make sure you are at

same measurement as Right front). Shape Armhole Row 1 (WS): Work in Seed at over first 5

(8, 4, 5, 6) sts, pm, p to end. Row 2: K2, M1R, k to marker, sm, work in Seed st to end [1 st inc/d].

Seed st to end [1 st inc'd].

Row 3: Work in Seed st to marker, sm, p to

end.

Row 4: K2, M1R, work in Wildflower Knot patt beg with Row 1 to marker (work as though rep beg from other side to match right front), sm, work in Seed at to end [1 st inc'd].

Row 5: Work in patt as established to end, then using backward loop method CO 31 then using backward loop method CO 31 Row 6: Work in Seed st over first 7 (8, 6, 7, 6) sts, pm, work in Widdhower Knot patt or marker, sm, work in Seed st to end. Work even in patt as established until piece

measures 11 (12, 13½, 14½, 16)* from

beg. Change to smaller ndl.

Work in Seed st as established until piece measures 15 (16, 17½, 18½, 20)* from beg.

BO in patt.

BO in part.

Using yarn needle and mattress st, sew log 2 sts at the top of armhole connecting the back of the cardigan to the Left front at the shoulder. These sts will be invisible once you have nicked just the sleeper sts.

and worked the border. SLEEVES (make 2)

With RS facing and dpns, beg at underarm pick up and k56 (60, 64, 68, 74) sts evenly spaced around armhole. Place C-colored marker for beg of md. Join to work in the

rnd.

Next rnd: Place markers for short-rows as follows: K7 (8, 8, 9, 10), place A-colored marker, k11 (11, 13, 13, 15), place B-col-

marker, k11 (11, 13, 13, 15), place B-colored marker, k20 (22, 22, 24, 24), place B-colored marker, k11 (11, 13, 13, 15), place A-colored marker, k7 (8, 8, 9, 10). Shape Cap

Beg working back and forth in rows in St st and work short rows as follows: Row 1 (RS): Work to 2nd B-colored mark-

er, sm, w&t.
Row 2: Rep Row 1.
Row 3: Work to wrapped at of your hole

Row 3: Work to wrapped st of row below last row worked, work wrapped st, work next st, w&t. Rep last row until you have reached the A-

colored marker on each side of piece.
At this point, beg working St st in mds (knit
every md), remove A- and B-colored markers, do not remove C-colored beg of rnd

marker.

Work in St st for 8 mds.

Next rnd (dec): K1, k2tog, k to last 3 sts,

Rep dec rnd every 8th rnd 7 (8, 7, 8, 9) more times [40 (42, 48, 50, 54) sts].

Work even in St st until place measures

13½* from underarm.

Work in Seed st worked in rnds for 2". BO in patt.


FINISHING Collar

With RS facing, smaller needle and beg at top Right corner of Cardi, pick up and k54 (56, 64, 68, 72) sts across top Right edge of Cardi, k63 (65, 69, 71, 77) Back neck sts from holder, pick up and k54 (58, 64, 68, 72) sts across top Left edge of Cardi (171 (181, 197, 207, 221) sts).

Work in Seed st until collar measures 6* from beg.

BO in patt.

Weave in ends. Hand wash and block Cardi, laying sides out flat, to measurements.











21 Heather's Cowl



FINISHED MEASUREMENTS

- · Height 12*
- Circumference 23' MATERIALS
- · 3 (50g; 110yd) balls Willow Yarns Attire Worsted (100% extra-fine merino) color
- #0014 On Trend
- · Size 8 US (5 mm) 16" circular needle · Size 9 US (5.5 mm) 16' circular needle OR
- SIZE TO OBTAIN GAUGE Stitch marker, vam needle
- GALIGE 19 sts x 26 mds = 4" in pattern using larger
 - TO SAVE TIME. TAKE TIME TO CHECK GALIGE

STITCH GLOSSARY LACE PATTERN (multiple of 12 sts) Design by Melissa Leapman

Project features Willow Yarns Attire Worsted

Skill Level: Easy Yarn Weight: #4

Rnd 1 (RS): *P3, k2tog, [k1, yo] twice, k1, FINISHING ssk, p2; rep from * around.

Rnds 2 and all even-numbered rnds: Knit the knit sts, purl the purl sts, and knit the yam

overs (vo). Rnd 3: "P2, k2tog, k1, yo, k3, yo, k1, ssk, p1; rep from * around.

Rnd 5: *P1, k2tog, k1, vo, k5, vo, k1, ssk; rep from * around

Rnd 7: *P1, k11; rep from * around. Rnd 9: "K1, vo. k1, ssk, p5, k2tog, k1, yo; rep from * around. Rnd 11: "K2, yo, k1, ssk, p3, k2tog, k1, yo,

k1; rep from * around. Rnd 13: "K3. yo, k1, ssk, p1, k2tog, k1, yo,

k2: rep from * around. Red 15: "K6. n1. k5: rep from " around.

Rnd 16: As Rnd 2. Rep Rnds 1-16 for Lace patt.

INSTRUCTIONS With smaller ndl, CO 97 sts. Pm for beg of

md. Join to work in the md, being careful not to twist. Purl 5 mds, inc 11 sts evenly spaced in last

md [108 etc] Change to larger ndl. Work in Lace patt until piece measures about

111/2" from beg, end with a Row 8 or Row 16 of patt Chance to smaller ndl.

Purl 5 md. dec 11 sts evenly spaced in first md [97 sts]. Rind off

Weave in all ends. Block lightly.

LACE PATTERN



12-st rec KEY

□ K . P O Yo

∑ Ssk

Pattern repeat

22 Wear-to-Work Jacket



Design by Imelda Carrillo Project features Omega Yarns Sinfonia

Skill Level: Experienced Yarn Weight: #3

 Jacket is sized to fit Women's S (M, L, 1X, 2X) FINISHED MEASUREMENTS

 Bust 36 (40, 44, 48, 52)* Length 24 (24½, 25, 25½, 26)*

MATERIALS 6 (7, 7, 8, 9) (3.5oz/100g; 218yd/200m) balls Omega Yarns Sinfonia (100% cotton) color

#C865 Orquidea · A few yards of 4 different colors for rings (optional)

· Size 4 US (3.5 mm) knitting needles, OR SIZE TO OBTAIN GAUGE

 Two size 4 US (3.5 mm) double-pointed needles for rings (optional) · 2 cable needles, stitch markers, stitch holders, vam needle GALIGE

 23 sts x 32 rows = 4° in St st TO SAVE TIME, TAKE TIME TO CHECK GAUGE

STITCH GLOSSARY

Short-Row Shaping Work the number of sts indicated in the instructions, w&t (wrap and turn); return to

starting point Work progressively longer rows as indicated in the instructions. Work wraps together with wrapped sts as you come to them, as follows: Insert RH ndl into the wrap at the base of the wrapped at from beneath, then bring the RH nd up and into the st on LH ndl, ready to work the st; knit (or purl) the wrap and the strtch

Wrap and Turn (w&t)

together.

(RS) Yarn forward (to the purl position), slip the next st to the RH ndl, yam back (to the knit position), return the slipped st (which is now wrapped), to the LH ndl; turn, leaving the remaining sts unworked

(WS) Yam back (to the knit position), slip the next st to the RH ndl, vam forward (to the our position), return the slipped at (which is now wrapped), to the LH ndl; turn, leaving the remaining sts unworked.

C2/2/2R: SI next 4 sts to two cable needles, (2 knit sts on first on, 2 purl sts on second on). hold second on behind first and to back; k2 from LH ndl, p2 from second on, k2 from first

C2/2/2L: SI 2 knit sts to a cn, hold to front, sI 2 purl sts to second on, hold to back, k2 from LH ndl, p2 from second on, k2 from first on.

1 x 1 RIB (multiple of 2 sts) Row 1 (RS); *K1, p1; rep from * across. Row 2: Knit the knit sts and purl the purl sts as they face you.

Work as Row 2 for 1x1 rlb. 1 x 1 RIB (multiple of 2 sts + 1) Row 1 (RS): K1, *p1, k1; rep from * across.

Row 2: Knit the knit sts and purl the purl sts as they face you. Work as Row 2 for 1x1 rib.

2 x 3 RIB (multiple of 5 sts + 3) Row 1 (RS): P3. *k2. p3: rep from * across. Bow 2: Knit the knit sts and ourl the ourl sts as they face you. Work as Row 2 for 2x3 rlb.

2 x 4 RIB (multiple of 6 sts + 4) Row 1 (RS): P4, "k2, p4; rep from " across. Row 2: Knit the knit sts and purl the purl sts as they face you.

Work as Row 2 for 2x4 rib.

CENTER BACK CABLES (over 26 sts) Row 1 (RS): P2. [k2. p2] twice, C2/2/2R across center 6 sts, p2, [k2, p2] twice. Row 2: Knit the knit sts and purl the purl sts as they face you, maintaining 2x2 no pattern

as established. Row 3: P2, *k2, p2; rep from * across. Row 4: Rep Row 2

Row 5: P2, C2/2/2L, p2, [k2, p2] twice, C2/2/2R, p2.

Rows 6 and 7: Rep Rows 2 and 3. Row 8: Rep Row 2. Rows 9-16: Rep Rows 1-8. Rows 17-20: Rep Rows 1-4. Work Rows 1-20 once for Back panel.

UPPER BACK (over 26 sts inc'd to 38 sts) Inc Row 1 (RS): IP2, k2l 3 times, M1-R, n2 M1-L [k2, p2] 3 times [28 sts; 2 sts inc'd, one each side of the center puri column). (WS) Work 1 row even in pattern, (knit the knit sts. and purl the purl sts as they face you, work-

ing k4 on center column). Inc Row 2 (RS): [P2, k2] twice, M1-R, p2, k2, p4, k2, p2, M1-L, lk2, p2l twice l2 sts inc'd]. (WS) Work 1 row even in pattern Inc Row 3 (RS): P2, k2, M1-R, work in pattem to last 4 sts, M1-L, k2, p2 (32 sts). Work

even in pattern until the piece measures 2" from the last Inc Row (approx 16 rows); end with a WS row; pm each side of the center 4

Inc Row 4 (RS): Work across to the first marker; slip the marker, M1-B, ourl to the next marker, M1-L, slip the marker; work in pattern across [6 sts between the markers.] Inc Rows 5 and 6: Work even in pattern until the piece meesures 2" from the last Inc. Row; end with e WS row. (RS) Work as for Inc Row 4, increasing after and before the markers I8 sts between the markers after Inc. Row 5; 10 sts between the markers after Inc. Row 6] This completes the Upper Back Shaping (38)

sts for the Back panel). FRONT CABLES (over 14 ste) Rows 1 and 9 (RS): P2, k2, p2, C2/2/2R,

р2. Row 2 and all WS rows: K2, *p2, k2; rep from * across. Rows 3 and 7: P2, *k2, p2; rep from *

Row 5: P2, C2/2/2L, p2, k2, p2. Row 10: Rep Row 2. Work Rows 1-10 once for Front Cables.

DESIGNER NOTES · Jacket features waist shaping worked

- within a Cable/Rib panel at the center Back and on each Front and semidropped sleeves. · The Fronts are shaped at the lower edge
- using Short-Row shaping. Wide Front bands worked in 1x1 rlb are designed to fold to the RS, creating a
- notched, mini shawl collar. · The Body shaping is worked at the side edges of the Back and Fronts at the
- same time as the shaping of the Cable panels. · Work all side snading 1 st in from the
 - edge to make seaming neater. · The armhole shaping is worked at the same time as the Upper Back shaping

- and the neck shaping on Fronts. . The armhole shaping, after the initial BO,
 - is worked several sts in from the armhole edoes - this is a design element, not an error in the Instructions.

INSTRUCTIONS BACK

Note: Read instructions carefully before proceeding (see Designer Notes).

CO 128 (140, 152, 164, 176) sts. (RS) Begin 1x1 rib: work even for 2 rows; end wen 2011 e dieu

Establish Pattern (RS) K44 (50, 56, 62, 68) sts, pm; work 2x4 rib across the center 40 sts. begin and end p4 (40 sts in 2x4 rib for the Back panel), pm; knit remaining 44 (50, 56, 62, 68) sts. Keep sts each side of the Back panel in St st throughout, while working the Back panel sts in Rib/Cables as established.

Work even in pattern on all sts until the piece measures 4" from CO; end with a WS row. Shape Sides and Back Panel

(RS) Beginning this row, dec 1 st each side every 10 rows, 8 times [16 sts total dec'd when all side shaping is completed; 36 (42, 48, 54, 60) sts at each side of Back panell. while at the same time, on the first side-decrow, dec 1 st in the first and the last purl columns of the Back panel as follows: P2tpc. p2; work in pattern across to the last purl column; p2, ssp [38 sts remain for the Back panel]. Continuing the side shaping as established, work the Back panel even until the piece measures 6" from CO; end with a WS

Dec row (RS) Dec 1 st on the first puri column as [p2toc, p1], and on last column as [p1, ssp] [2 sts remain in each of these columns], while at the same time, on the remaining 4-st puri columns, dec 1 st es [p1, p2tog, p1] on each column [5 more sts dec'd across the Back panell. (WS) Knit the knit sts and our the our sts as

they face you. Note: The pattern has become 2x3 rib, with p2 et each side of the Back panel on RS row [31 sts remain on the Back panel). (RS) Work even in pattern for 4 rows; end

with a WS row

Dec row (RS) Dec 1 st on each 3-st puri column as [p2tog, p1] [26 sts remain on the



Back nanell (WS) Knit the knit sts and purl the purl sts as they face you. Note: The pattem has become 2x2 rlb

(RS) Continuing the side shaping as established, work Rows 1-20 of Center Back Cables once; end with a WS row [Side shaping should be complete and 98 (110, 122, 134, 146) sts total remain].

Shape Upper Back (RS) Begin the Upper Back shaping, working the Inc Rows as shown on Chart (Inc EOR 3 times on nurl columns alternately as indicated, except the beginning and end purl columns) [32 sts on Back panel after the first 3 Inc Rows, the first and last puri column = 2 sts, the center puri-column = 4 sts, and the remaining puri-columns = 3 sts each, with k2

between each puri-columnil (RS) Work the remaining three Inc rows every 2" inc 1 st each side of the center puri sts [10] center purl sts, the remaining Back panel sts in 2x3 rlb, with p2 at each side of panel, 38 sts on Back panell. Work even as established on Back panel for the remainder of the piece, while at the same time, when the piece measures 16' from CO or desired length to the underarms; end with a WS row [36 (42, 48, 54, 60) sts remain at each side of Back

Shape Armholes

(RS) Cont Back panel as established, BO 5 (7 9 11 13) sts at beg of next 2 rows (31 (35, 39, 43, 47) sts remain each side of Back panell. Dec 1 st each side EOR 3 (5, 7, 9, 11) times as follows (see Notes): (RS) K6, ssk, work across to 8 sts before opposite armhole edge, k2tog, knit to end.

(WS) Work 1 row even (28 (30, 32, 34, 36) sts remain each side of the Back panel when the armhole shaping is completed]. Work even until the armhole measures 7 (7½, 8, 8½, 9)" from the beginning of the shaping; end with a WS row

Shape Shoulders and Neck

(RS) BO 10 sts at beg of next 2 rows, then 8 (9. 10, 11, 12) sts at the beginning of the next 4 rows for the shoulders [42 sts remain for the neck (38 sts of the Back panel + 2 sts each side in St st)). BO the remaining sts loosely in pattem.

LEFT FRONT

Note: Read instructions carefully before progeeding (see Designer Notes).

CO 85 (91, 97, 103, 109) sts. (RS) Begin 1x1 rib; work even for 2 rows; end with a WS row. Establish Pattern and Shape Lower Front

Edge Short-Rows

Note: Work the Short-Rows as given, while at the same time, work the sts into the following sequence, as sts become available on the RS rows: 44 (50, 56, 62, 68) sts in \$t st, pm; [p4, k2], 3 times, p3 (21 sts in 2x4 rib for the Front panel), pm; 19 sts in 1x1 rib for the Front band, k1 (edge st - keep in Garter st). First Short-Row (RS): K9 (10, 11, 12, 13),

w&t. (WS) Puri to end.

Short-Rows 2 - 5 (RS): Working the wrap together with the wrapped st as you come to it, work to 9 (10, 11, 12, 13) sts past the last wrapped st (including the wrapped st), w&t. (WS) Work to end. Continue in this manner

until 5 Short-Rows have been worked; end with a WS row Remaining 6 Short-Rows (RS): Working the wrap together with the wrapped st as you

come to it, work in pattern to 7 sts past the last wrapped st, w&t. (WS) Work to end. Continue in this manner, working the sts into nattern as they become available. Note: The

last Short-row may not have the same number of sts as the previous Short-Rows. depending on the size being worked; for the last Short-Row, work to end in pattern, turn. (WS) Work across all sts. Work even in pattern established until the piece measures 4" from CO at side edge;

end with a WS row. Shape Sides and Front Panel

(RS) Beginning this row, dec 1 st at side edge overy 10 rows, 8 times as for Back (36 (42, 48, 54, 60) sts remain at side edge in St st when side shaping is completed), while at the same time, on the first side-dec-row, dec 1 st in the first puri column of the Front panel es follows: P2tog, p2; work to end in pattern [20 sts remain on Front panel]. Continuing side shaping as established, work the Front panel even until the piece measures 6° from

CO at the side edge; end with a WS row. Dec row (RS) Dec 1 st on first puri column as [p2tog, p1] and on last puri column as [p1. sspl (2 sts remain in each of these columns); while at the same time, on the remaining 4st puri columns, dec 1 st as [p1, p2tog, p1] [4 sts total dec'd across Front panel).

(WS) Knit the knit sts and purl the purl sts as they face you. Note: The pattern has become 2x3 nb, with p2 at each side of the Front panel on RS rows [16 sts remain for the Front panell.

(RS) Work even in pattern for 4 rows; end with a WS row. Dec row (RS) Dec 1 st on each 3-st puri col-

umn as [p2tog, p1] [14 sts remain for the Front nanell. (WS) Knit the knit sts and purl the purl sts as they face you. Note: The pattem has become 2x2 rib.

(RS) Continuing side shaping, work Rows 1-10 of the Front Cables once; end with a WS mw

Continue as established until the piece measures 14" from CO, working the sts of the Front panel in 2x2 rib; end with a WS row [70] (76, 82, 88, 94)].

Shape Neck

(RS) Continuing as established, work across to 2 sts before the Front panel (last 2 sts of the St st section); K2tog, work the Front Panel as established; M1, work to end in pattem (1x1 rib), maintaining the edge st [1 st inc'd between the Front panel and the 1x1 rib band, 1 st dec'd on the St st section - the

total stitch count is unchanged). Work 3 rows even

Rep the last 4 rows 9 (11, 11, 13, 13) times, maintaining p2 at end of the Front panel and working the inc'd sts in 1x1 as they become available [10 (12, 12, 14, 14) sts removed from the St st section and added to the 1x1 section after this shaping section is completedl. while at the same time, when the piece massures 16" from CO: end with a WS row. Shape Armhole

(RS) Continuing as established, at the armhole edge BO 5 (7, 9, 11, 13) sts, work to

(WS) Work 1 row even.

(RS) At the armhole edge, dec 1 st EOR 3 (5, 7, 9, 11) times as for the Back [62 (64, 66, 68, 70) sts remain). Continue the neck shaping as established until the armhole measures 5 (51/2, 6, 61/2, 7)" from the beginning of the shaping; end with a RS row.

Shape Lapel Slit (WS) BO 11 sts, work to end

(RS) Continuing in pattern, CO 11 sts at the end (neck edge) of this row. (WS) Work as established, working CO sts in

1x1 rib, with the edge st in Garter st (RS) Continue neck shaping (declinc) every 4 rows, 4 times as follows: Work across to the last et of St at section. K2too (the last at of St st section with the next st of Front panell, work across the Front panel, inc as established, work to end. When shaping is completed, 10 sts remain on the Front panel; pm 26 (28, 30, 32, 34) sts (including the sts in St st) from the armhole edge for the shoulder. The remainder of the sts become part of the Back neckband. Work even until armhole measures 7 (71/2, 8, 81/2, 9)" from beg of

shaping; end with a RS row. Shape Shoulder

(RS) Work the shoulder shaping as for the Back at the beginning of RS rows [32 sts remain]; place remaining sts on a holder for the Back neck band; do NOT cut yarn.

RIGHT FRONT

Work as for the Left Front, reversing all sheping by working the short-rows on WS rows, the side shaping at end of RS rows, the neck shaping at the beginning of RS rows, the armhole at the beginning of WS rows/end of RS rows and the shoulder shaping at the beginning of WS rows.

SLEEVES

CO 52 (56, 60, 64, 68) sts. (RS) Begin 1x1 rlb; work even until the piece measures 21/2" from CO; end with a WS row. Establish Pattern

(RS) K7 (9, 11, 13, 15) - keep in St st, pm; p3, [k2, p3] 7 times; pm, knit the remaining 7 (9. 11, 13, 15) sts - keep in St st throughout. Continuing in pattern established, work 1 row

even; end with a WS row. Shape Sleeve

(RS) Beginning this row, inc 1 st each side

every 8 rows 13 (11, 10, 9, 9) times, then every 6 rows 0 (3, 5, 7, 8) times, working inc'd sts in St st as they become available 178 (84. 90, 96, 102) stsl. Work even until the piece measures 16 (16½, 17, 17½, 18)* from CO;

end with a WS row Shape Cap (RS) BO 5 (7, 9, 11, 13) sts at the beginning

of the next 2 rows [68 (70, 72, 74, 76) sts remain]. (RS) Dec 1 st each side EOR 15 (16, 17, 18,

19) times (38 sts remain). (RS) BO 2 sts at the beginning of the next 10 pieces together at the center Back; sew the

rows [18 sts remain]. BO the remaining sts in pattern.

FINISHING Neckhand

With the RS facing, place the sts from the Left Front holder on the needles; pick up the yarn and work to the end in pattern. Work even until the piece measures half the length of the Back neck edge (approximately 394"), slightly stretched. Place the sts on a holder. Rep for the Right Front sts. Join the Back neckband band to the Back neck edge and fold the band to the RS

Join the shoulder seams; set in the sleeves. Sew the side and the Sleeve seams. Fold the Front bands to RS, overlapping as

decired Multicolor Rings (optional)

Using 2 dpns and a different color for each ring, work 4 pieces of I-cord 3-4" long, Join the ends to form a ring. Sew the Rings to the

Left Front as shown in the photo. Using the yam needle, weave in ends.








KEY

UPPER BACK







0	۰					•			
	٠				1	•		٠	9
8		•		•				٠	
	•	•				•		٠	7
6		•		•		•		•	
	•	•			5		҈.	٠	5
4		•		•		•		٠	
	٠			•				٠	3
2	٠	•		•				٠	
-			-	-					1

14 sts

23 North Sea Skirt



SIZES

· Women's XS (S, M, L, 1X)

FINISHED MEASUREMENTS Hip 32 (35, 38½, 41½, 45)*

- Waist 24 (27, 30, 33, 36)", not including band and elastic
- · Length 191/2", not including waistband, before hemming

MATERIALS

- 1 (3.5oz/100g; 437yd/400m) ball Cascade Yarns Heritage Sock Yarn (75% merino superwash, 25% rylon) each in colors #5602 Steel (MC), #5618 Snow (A), #5638 Walnut (C), and #5605 Plum (D)
- 1 (3.5oz/100g; 437yd/400m) ball each Cascade Yarns Heritage Hand Painted Sock Yarn (75% mering superwash, 25% nylon)
- color #9746 Woodland (B) Size 2 US (2.75 mm) circular needle 32º long · Size 3 mm circular needle 32" long OR SIZE
- TO OBTAIN GAUGE · Size 3 US (3.25 mm) circular needle 32" long
- 1½" wide elastic (optional) · Stitch marker, varn needle
- GAUGE 30 sts x 36 mds = 4" in Fair Isle nattern using

size 3 US (3.25 mm) needle TO SAVE TIME. TAKE TIME TO CHECK GAUGE

DESIGNER NOTES · Skirt has zero to negative ease in hip mea-

- surement. Skirt is worked in St st following Fair Isle chart. · Skirt is worked in the round beg at lower edge.
- Knit 10 mds in St st.

INSTRUCTIONS With smallest needle and MC, CO 240 (264, 288, 312, 336) sts, Pm for beg of md. Join to work in the rnd, being careful not to twist.

Project features Cascade Yarns Heritage Sock Yarn

Yarn Weight: #1 Skill Level: Intermediate

Next (turning) rnd: Purl. Change to middle-size needle

Knit 3 mds. Beg Fair Isle Chart

Rnd 1: Work Rnd 1 of chart, working 24-st reo 10 (11, 12, 13, 14) times,

Cont to follow chart in this way through to end of Rnd 54. Change to largest needle.

Cont to follow chart through to end of Rnd 77, then work Rnds 1-53 once more. Change to middle-size needle

Next (dec) rnd: Work Rnd 54 of chart, dec 24 sts evenly around [216 (240, 264, 288, 313) etcl.

Next rnd: Work Rnd 55 of chart, working 24st reo 9 (10, 11, 12, 13) times, Cont to follow chart through Rnd 66.

Next (dec) rnd: Work Rnd 67 of chart, dec 24 sts evenly around [192 (216, 240, 264,

Next rnd: Work Rnd 68 of chart, working 24st rep 8 (9, 10, 11, 12) times. Cont to follow chart through Rnd 77, then work Rnds 1-7 once more.

Change to smallest needle. Waisthand Next rnd: "K2, p2; rep from " to end of md. Ren last rnd until waistband measures 314°.

BO in rib. EINISHING

Fold waistband in half to WS, Sew waistband edge in place, leaving a 2" opening at center

Optional elastic: Measure waist for elastic, then add 1" to measurement; cut elastic to final measurement. Thread elastic through walstband, taking care not to twist or fold it. Overlap the cut ends 1° and pin to secure. Sewing across width of elastic, sew %" from one cut end then %" from opposite cut end. Sew waistband opening closed. Fold hem to WS along turning row and slip st in place. Lightly block to measurements.









Moodland (B) Walnut (C)

Plum (D)

24 Soft Mist Scarf



FINISHED MEASUREMENTS Length 84*

Design by Vickie Zelizo

Project features Sullivans USA Yorganza

Skill Level: Easy

INSTRUCTIONS

Yarn Weight: #6

(100% polyester) color #39762 Primrose

Leopard Scales Size 9 US (5 mm) kn/tting needles

Sewing needle and matching thread or fabric sealant (optional) GALIGE · Gauge is not critical for this project.

Trim ends. If desired, use sewing needle and thread to tack down raw edges or apply fabric sealant to cut edges.

CO 3 sts as follows: "Pick up 1 st by inserting ndl through first hole at the top of the fab-

ric from front to back, skip the next hole; ren-Row 1: *Skip next hole, insert RH nd into next hole on the LH ndl knitwise. Place next hole in fabric on RH ndl tip and pull the fabric through the hole on the LH ndl (completing Rep Row 1 until you have 6 holes left in the BO, pulling entire strand through last loop to

MATERIALS 1 (100g, 32yd) ball Sullivans USA Yorganza

25 Soft Shoulder Shawl

Design by Amy Gunderson Project features Rozetti Yarns Roma

the knit st); rep from * twice.

fasten off.

Skill Level: Intermediate Yarn Weight: #4



FINISHED MEASUREMENTS Lenath 70°

 Depth in Center 27" MATERIALS

· 4 (50g; 159yd) balls Rozetti Yarns Roma (50% acrylic, 50% polyamide) color #201-06 Plum Shine

SIZE TO OBTAIN GALIGE · Stitch markers, yarn needle

 16 sts x 22 rows = 4" in St st TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

DESIGNER NOTES Shawl is worked from side to side. Stitch counts are given at the end of rows for

the Body Section only. The stitch counts for the Eye-Spot Edging will vary from row to

STITCH GLOSSARY **BODY INCREASE PATTERN** Row 1 (RS): K1, "vo, k2tog; rep from " to end, vo [1 st inc/d],

Row 2: Purl. Row 3: Yo, *ssk, yo; rep from * to end [1 st inc/di Row 4: Purl.

Rep Rows 1-4 for Body Inc patt.

BODY DECREASE PATTERN Size 8 US (5 mm) knitting needles OR

Row 1 (RS); K1, *vo, k2tog; rep from * to last 3 sts, yo, k3tog [1 st dec'd]. Row 2: Purl

Row 3: Yo, "ssk, yo; rep from " to last 3 sts, sssk [1 st dec'd]. Row 4: Purl.

Rep Rows 1-4 for Body Dec natt.

EYE-SPOT EDGING PATTERN (beg over 14 sts. inc's to 17 sts. dec's again to 14 sts) Row 1 (RS): SI 2 wyib, [k1, yo, k2tog] twice, yo, k2tog, yo 4 times, k2tog, yo, p2tog [3 sts inc'dl.

Row 2: Yo. p2tog. k2. [p1, k1] twice, p3, k2. p1, k3. Row 3: SI 2 wylb, [k1, yo, k2toq] 3 times,

k4, vo. p2toc. Row 4: Yo, p2log, k5, p4, k2, p1, k3. Row 5: Si 2 wylb, [k1, yo, k2tog] twice, k2, yo, k2top, k3, yo, p2top

Row 6: Yo, p2tog, k4, p5, k2, p1, k3. Row 7: SI 2 wyib, [k1, yo, k2tog] twice, k3, yo, k2tog, k2, yo, p2tog.

Row 8: Yo, p2tog, k3, p6, k2, p1, k3. Row 9: SI 2 wyib, [k1, yo, k2tog] twice, k4, vo. k2tog, k1, yo, p2tog

Row 10: Yo, p2tog, k2, p7, k2, p1, k3. Row 11: SI 2 wvlb. [k1, vg, k2tog] twice, k5, yo, k2tog, yo, p2tog.

Row 12: Bind off 3 sts (1 st on BH ndl), p7. k2, p1, k3 [3 sts dec'd]

Rep Rows 1-12 for Eve-Spot Edging patt.

INSTRUCTIONS CO 20 etc

Set-Up row (WS): K14 for Eye-Spot Edging, pm, k3 for Body, pm, k3.

Increase Section Row 1 (RS): K3, sm, work Row 1 of Body inc patt to marker, sm. work Row 1 of Eve-Soot Edging patt to end [1 st inc'd in Body]. Row 2: Work next row of Eye-Spot Edging patt to marker, sm, work Row 2 of Body Inc.

patt to marker, sm. k3. Row 3: K3, sm, work Row 3 of Body Inc. patt to marker, sm, work next row of Eye-Spot Edging patt to end [1 st inc'd in Body]. Row 4: Work next row of Eye-Spot Edging patt to marker, sm, work Row 4 of Body Inc.

patt to marker, sm, k3. Rows 5-12: Rep last 4 rows 2 more times (9 sts in Body)

Rows 13-168: Rep last 12 rows 13 more times (87 sts in Body; 14 reps of Eye-Spot Edging have been worked].

Decrease Section Row 1 (RS): K3. sm. work Row 1 of Body Dec patt to marker, sm, work Row 1 of Eye-Spot Edging patt to end [1 st dec'd in Body]. Row 2: Work next row of Eve-Spot Edging patt to marker, sm, work Row 2 of Body Dec nett to marker sm. k3.

Row 3; K3, sm, work Row 3 of Body Dec nett to marker, sm. work next row of Eve-Snot Edging patt to end [1 st dec'd in Body]. Row 4: Work next row of Eye-Spot Edging patt to marker, sm, work Row 4 of Body Dec nett to marker, sm. k3.

Rows 5-12: Rep last 4 rows 2 more times 181 etc in Rodyl

Rows 13-168: Rep last 12 rows 13 more times [3 sts in Body]. Bind off purtwise.

FINISHING

Weave in ends. Pin out lace and steam





Statement of Ownership, Management, and Circulation (Required by 39 U.S.C. 3685) program by set visits. In the State of the S ARIUM SURPRIGHT FOR 15 M 7 / COMPRESS TREATING ACCOUNT OF RECEIVED AN APPRICANT CHRIS THE CONTROL PRINCIPLE OF THE PRINCIPLE AND APPRICANT CHRIS THE CONTROL PRINCIPLE OF THE PR Security Holders Owning or Holding 1 Purcent or More of Total Amount of Bonds, Mongages or Other Securities, None, 12 Tax States, N/A 13, Publication Title: KnrtN Style 14 issue Gildin for Circulation Qual Below 2013 15. Excised and Nature of Circulation Average No. of Copies Each Issue During Proceeding 12 Months (iii) Total Number of Copies (Net The Section of the Se USPS Paid Distribution 25,844 (4) Other Classes Malad Through the USPS 0. (c) Total Peed endoor Requested Circulation 89,321 (d) Free Oistribution by Meli (samples comple No Publication required. Will be printed in the February 2014 asce of this publication. 16 I certify that all information furnished on this form is true and complete. ven Cohen, CEO, October 1, 2013.

Sources for Yarns – Featured in This Issue

The products used in this issue are generally available in both the United States and Canada. Be sure to consult the Yarn Shops directory for the names and locations of varn shops ready to assist Knit in Stive readers.

THE ALPACA YARN CO

(866) 444-PACA www.thealpacayarnco.com

BROWN SHEEP COMPANY

(800) 826-9136

www.hrnwnsheen.com

BERROCO (401) 769-1212

www.berroco.com

CASCADE YARNS

www.cascadeyam.com

JHB INTERNATIONAL (800) 525-9007

www.buttons.com

KING COLE / AURORA YARNS

(650) 728–2730 www.joann.com

KOLLAGE YARNS (888) 829-7758

www.kollageyarns.com

PATONS www.yamspirations.com/patons

www.yamspirations.com/patons

(215) 788-0459 www.plymouthyarn.com

PRISM YARNS (727) 528–3800

www.prismyarn.com

RED HEART (800) 648-1479

www.redheart.com

SKACEL (800) 255-1278

www.skacelknitting.com

UNIVERSAL YARN (877) 864-9276

(877) 864–9276 www.universalyam.com

SCHACHENMAYR / WESTMINSTER FIBERS (719) 481-2900

http://us.schachenmayr.com

TRENDSETTER YARNS

(800) 446–2425 www.trendsetteryarns.com

UNIVERSAL YARN (877) 864-9276

www.universalyam.com

yarnundyed / AURORA YARNS (650) 728–2730 www.aurorayarns.net

Index of Advertisers

Aurora Yarns	3
Bryson Distributing	11
Clover	97
DellaQ	97
Denise Interchangable Needles	13
Fix-A-Stitch	97
Indian Lake Artisans	97
Jimmy Bean's Wool 27,	99
Knitter's Dream	97
Knitting Pure & Simple	17
Mango Moon Yarns11,	17
Nancy's Knit Knacks	97
Oat Couture	97
Omega Yarns	17
Premier Yarns1	00
Skacel	17
Sullivans USA	.2
Universal Yarn	13
Westminster Fibers	.5
Willow Yarns	9
Zaalana / The VamSietere	11

